

(Click on Well Log ID to Access Image of Well Strip Log)

POLK

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID: 008116

WELL TYPE Private Well

DRILL DATE:

1942/10/15

TOWNSHIP

RANGE SECTION **ELEVATION:**

1.170FT

DRILL DEPTH:

130FT

31N 21W 9

UTM X 477,908.84

UTM Y 4,141,674.10

DEPTH TO BED:

52FT

35

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED 52-130

LOG ID: 026357

WELL TYPE Private Well

DRILL DATE:

1967/09/09

TOWNSHIP

SECTION RANGE

ELEVATION: 1,242FT

DRILL DEPTH:

258FT

31N 22W

DEPTH TO BED:

10FT

150

UTM Y UTM X

473,769.76 4,144,222.12

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FΤ

REMARKS: 1 MI W OF PLEASANT HOPE ON HWY M, LEFT 0.75 MI TO TRAILER

ON RT

LOG ID:

027134

WELL TYPE Private Well

DRILL DATE:

1969/04/27

TOWNSHIP

RANGE

SECTION

ELEVATION:

469,978.70

1,152FT

DRILL DEPTH:

245FT

31N 22W 3

UTM X

UTM Y

DEPTH TO BED:

35FT

110

4,144,743.13

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

1 MI S OF BRIGHTON, 1 MI E OF HWY 13

LOG ID:

WELL TYPE

019112

Noncommunity Public Well

DRILL DATE:

1960/07/24

TOWNSHIP 31N

RANGE SECTION **ELEVATION:**

469,183.70

1.046FT

DRILL DEPTH:

420FT

22W

4

UTM X

ZONE 15

UTM Y 4,144,198.13

DEPTH TO BED:

10FT

40

FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 0.5 MI S OF BRIGHTON ON HWY 13



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003647

WELL TYPE Private Well

1936/05/ DRILL DATE:

TOWNSHIP RANGE SECTION 31N 22W 6

DRILL DEPTH: 155FT

UTM X UTM Y DEPTH TO BED: 15FT 465,933.64 4,144,948.14

ZONE 15

ELEVATION:

1,100FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 110

LOG ID: 012038

WELL TYPE Private Well

DRILL DATE: 1952/06/21 **TOWNSHIP SECTION RANGE ELEVATION:** 1,078FT

31N 22W DRILL DEPTH: 300FT

UTM X UTMY DEPTH TO BED: 5FT 467,120.69 4,141,834.15

8

2.1 MI S & 1.1 MI W OF BRIGHTON

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 148

LOG ID: 010121

WELL TYPE Private Well

DRILL DATE: 1948/04/22 **TOWNSHIP RANGE SECTION ELEVATION:** 981FT

31N 22W 9

REMARKS:

REMARKS:

DRILL DEPTH: 100FT UTM X **UTMY**

DEPTH TO BED: 468,723.71 4,142,396.14

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 17

LOG ID: 012966

WELL TYPE Private Well

1950/08/11 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 998FT

31N 23W 10 **DRILL DEPTH:** 160FT

DEPTH TO BED: 459.934.58 4,143,420.18 15FT

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT 1.2 MI W & 2.8 MI S OF MORRISVILLE; YIELD 3.5 GPM @ 80', 8 GPM **REMARKS**:

@ 100' S.W.L. (AFTER CASING): 75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015693

WELL TYPE Private Well

1956/11/05 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,062FT

31N 23W 12 **DRILL DEPTH:** 325FT

UTM X UTMY DEPTH TO BED: 20FT 463,670.63 4,143,178.16

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: formerly in names of W.M. Lathern and M.W. Presly - MORRISVILLE 7

1/2' QUAD

LOG ID: 019320

S.W.L. (AFTER CASING):

WELL TYPE Private Well

40

DRILL DATE: 1960/08/24 **TOWNSHIP SECTION RANGE ELEVATION:** 1,132FT

31N 23W 12 DRILL DEPTH: 471FT

UTM X UTMY DEPTH TO BED: 463,070.63 5FT 4,142,368.17

ZONE 15

S.W.L. (BEFORE CASING): FT 9 MI N OF WILLARD ON HWY Z, 0.5 MI E & 0.25 MI N REMARKS:

S.W.L. (AFTER CASING): 151

LOG ID: 013721

WELL TYPE Private Well

DRILL DATE: 1953/11/30 **TOWNSHIP RANGE SECTION ELEVATION:** 962FT

31N 23W 4 **DRILL DEPTH:** 105FT

UTM X **UTMY**

DEPTH TO BED: 5FT 459,268.56 4,144,160.17

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** "FLOWS"

S.W.L. (AFTER CASING):

LOG ID: 003886

WELL TYPE Private Well

1936/09/08 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,120FT

DRILL DEPTH: 255FT UTM X UTM Y

DEPTH TO BED: 456.641.53 4,143,822.19 15FT

23W

5

ZONE 15

S.W.L. (BEFORE CASING): FT

31N

REMARKS:

S.W.L. (AFTER CASING): 110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009929

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/02/27 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,032FT

175FT 31N 23W 5

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 10FT 457,441.53 4,144,822.17

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E & 0.25 MI S OF GRAYDON SPRINGS

S.W.L. (AFTER CASING): 90

LOG ID: 016091

WELL TYPE Private Well

DRILL DATE: 1953/11/ TOWNSHIP RANGE SECTION ELEVATION: 1,029FT

DRILL DEPTH: 260FT 31N 23W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 80FT 457,641.54 4,144,222.18

5

457,041.54 4,144,2 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES - DO NOT USE LOG - YIELD 25 GPM @ 115'

S.W.L. (AFTER CASING): 60

LOG ID: 010435

WELL TYPE Private Well

<u>DRILL DATE:</u> 1948/08/26 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 936FT

DRILL DEPTH: 105FT 31N 23W 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 458,609.56 4,143,171.18

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W & 2.8 MI S OF MORRISVILLE; YIELD 1-1.5 GPM @ 105'

S.W.L. (AFTER CASING): 20

LOG ID: 012370

WELL TYPE Private Well

<u>DRILL DATE:</u> 1952/01/07 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,101FT

DRILL DEPTH: 200FT 31N

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 454,593.50 4,143,994.20

24W

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Frank Clark - 1 MI S & 1 MI W OF GRAYDON

S.W.L. (AFTER CASING): 115 SPRINGS; YIELD - 3.5 GPM @ 200'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016082

WELL TYPE Private Well

1950/05/12 DRILL DATE:

TOWNSHIP RANGE 31N

SECTION 1

ELEVATION:

ZONE 15

1,093FT

DRILL DEPTH:

320FT

24W

UTM X

UTMY

DEPTH TO BED:

30FT

115

454,094.48

4,145,320.19

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Clara Lawrence - YIELD 2-3 GPM @ 320'

S.W.L. (AFTER CASING):

WELL TYPE Private Well

020747 DRILL DATE:

LOG ID:

1962/04/10

TOWNSHIP

SECTION RANGE

ELEVATION: 1,108FT

DRILL DEPTH:

295FT

31N 24W 2

UTM X

ZONE 15

DEPTH TO BED:

25FT

453,077.47

UTMY 4,144,952.21

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

120

REMARKS:

LOG ID:

017150

WELL TYPE

Private Well

DRILL DATE:

1958/04/23

TOWNSHIP 31N

RANGE

SECTION

ELEVATION:

ZONE 15

1,126FT

DRILL DEPTH:

323FT

24W 5

UTM X 447,634.39

UTM Y 4,145,511.26

DEPTH TO BED:

5FT

210

REMARKS: SAMPLES APPEAR TO BE MIXED - DO NOT USE LOG

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

006429

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1940/08/28

465FT

15FT

135

TOWNSHIP 31N

RANGE 24W

SECTION 6

ELEVATION:

1,087FT

UTM X 446,019.37

UTM Y 4,144,545.28

ZONE 15

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005819

WELL TYPE Private Well

1939/10/ DRILL DATE:

160FT

20FT

TOWNSHIP RANGE SECTION 31N 24W

1,075FT

DRILL DEPTH:

FT

UTM X 446,368.39

ELEVATION:

UTMY 4,143,143.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

DEPTH TO BED:

WELL TYPE Private Well

009753 DRILL DATE:

1946/11/07

TOWNSHIP

SECTION RANGE

7

ELEVATION: 1,221FT

DRILL DEPTH:

80FT

20

32N 21W 1

> **UTM X UTMY**

> > ZONE 15

482,839.78

DEPTH TO BED:

14FT

REMARKS:

1.75 MI S, 7/8 MI E OF SCHOFIELD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007486 **DRILL DATE:**

1941//

95FT

50

30FT

32N

TOWNSHIP

RANGE SECTION 21W 11

ELEVATION:

1,200FT

DRILL DEPTH: DEPTH TO BED:

UTM X

UTM Y

4,152,985.16

482,227.79 4,151,006.15 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS:**

3 MI W OF REDTOP POSTOFFICE, 12 MI S OF BUFFALO, THEN 3

MI W

LOG ID: 012913

WELL TYPE Private Well

DRILL DATE:

1954/05/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,198FT

DRILL DEPTH:

DEPTH TO BED:

175FT

5FT

90

32N 21W 14

481.777.79

UTM X

UTM Y

4,150,404.14

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2 MI W & 3.8 MI S OF SCHOFIELD; YIELD - 11 GPM @ 120', 20 GPM

& 140'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026864

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1971/06/07 DRILL DATE:

200FT

15FT

TOWNSHIP RANGE SECTION 32N 21W 15

ELEVATION:

1,195FT

UTM X 479,378.77

UTMY 4,150,443.13

ZONE 15

S.W.L. (BEFORE CASING):

OIL & GAS TEST TO BE USED FOR WATER **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 011472

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1950/09/12

300FT

15FT

70

TOWNSHIP 32N

RANGE

SECTION

ELEVATION: 1,132FT

REMARKS:

21W 16

UTM X

UTMY

478,157.76

4,150,304.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 4.5 MI NE OF PLEASANT HOPE

S.W.L. (AFTER CASING):

LOG ID: 010745

WELL TYPE Private Well

DRILL DATE:

1948/09/19

TOWNSHIP

RANGE

SECTION 18

ELEVATION: 1,081FT

ZONE 15

DRILL DEPTH:

205FT

32N

21W

3.5 MI N OF PLEASANT HOPE

UTM X 475,123.71 UTM Y

4,151,019.12

DEPTH TO BED:

5FT

55

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008110

WELL TYPE Private Well

DRILL DATE:

1942/08/08

TOWNSHIP 32N

RANGE

SECTION

ELEVATION:

1,070FT

DRILL DEPTH: DEPTH TO BED: 145FT 50FT 21W 19

UTM X

UTM Y 4,149,402.12

475.278.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 51-145'; 1.75 MI N OF PLEASANT HOPE **REMARKS**:

52 S.W.L. (AFTER CASING):

2/27/2007

4,543



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004894

WELL TYPE Private Well

1938// DRILL DATE:

TOWNSHIP 32N

SECTION

ELEVATION:

1,122FT

DRILL DEPTH:

80FT

21W 26

RANGE

UTM X **UTMY**

ZONE 15

ZONE 15

ZONE 15

DEPTH TO BED: 45FT 481,281.82

4,147,379.13

S.W.L. (BEFORE CASING):

OLD WELL DEEPENED 45-80' REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027751

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1974/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,132FT

DRILL DEPTH:

380FT

32N 21W

> UTM X 476,754.77

UTMY 4,147,049.11

DEPTH TO BED:

35FT

95

FT

REMARKS:

ON HWY H, 0.75 MI N OF PLEASANT HOPE

29

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 004893

Private Well

DRILL DATE:

1938/06/24

TOWNSHIP 32N

RANGE SECTION **ELEVATION:**

1,110FT

DRILL DEPTH:

110FT

21W 3

UTM X

UTM Y

DEPTH TO BED:

30FT

480,057.76

4,152,654.14

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005250

Private Well

DRILL DATE:

1938//

TOWNSHIP

32N

RANGE SECTION **ELEVATION:**

1,125FT

DRILL DEPTH:

130FT

21W 30

UTM X

UTM Y 4,146,393.11

DEPTH TO BED:

60FT

45

475.444.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 60-130'; ALL "JEFFERSON CITY" ON LOG **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005247

WELL TYPE Private Well

DRILL DATE:

1938/12/

TOWNSHIP RANGE SECTION 32N 21W

ELEVATION:

1,129FT

DRILL DEPTH:

103FT

31

UTM X 475,709.77

UTMY 4,146,081.11

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

40

REMARKS: IN PLEASANT HOPE

S.W.L. (AFTER CASING):

FT

LOG ID: 005248

WELL TYPE Private Well

DRILL DATE:

1938/12/

TOWNSHIP

RANGE

SECTION 31

ELEVATION: 1,121FT

DRILL DEPTH:

67FT

32N 21W

UTM X

UTMY

DEPTH TO BED:

15FT

475,709.77

4,146,081.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: IN PLEASANT HOPE; "JEFFERSON CITY" ON LOG

S.W.L. (AFTER CASING): 34

LOG ID:

WELL TYPE Private Well

005249

DRILL DATE:

1938/12/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,128FT

DRILL DEPTH:

103FT

32N 21W 31

UTM X 475,709.77

UTM Y 4,146,081.11

DEPTH TO BED: S.W.L. (BEFORE CASING):

80FT

REMARKS:

OLD WELL DEEPENED 80-103'; IN PLEASANT HOPE

S.W.L. (AFTER CASING):

40

LOG ID: 005251

WELL TYPE Private Well

1938/12/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,128FT

UTM Y

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

110FT 60FT

32N 21W 31

UTM X

475.409.76 4,146,181.11

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **OLD WELL DEEPENED 60-110'**

S.W.L. (AFTER CASING): 40



RANGE

RANGE

RANGE

21W

21W

21W

SECTION

31

SECTION

31

SECTION

31

IN PLEASLANT HOPE, E OF HWY H; EVERY OTHER 5' INTERVAL

1ST HS S OF BAPTIST CH, W SIDE HWY H IN PLEASANT HOPE

TOWNSHIP

32N

TOWNSHIP

TOWNSHIP

RUN

32N

32N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

475,809.77

ELEVATION:

UTM X

475,609.77

ELEVATION:

UTM X

475,809.77

ZONE 15

ZONE 15

ZONE 15

1,119FT

UTMY

4,145,381.11

1,135FT

UTMY

4,145,981.11

1,091FT

UTM Y

4,145,781.11

LOG ID: 012027

DRILL DEPTH:

WELL TYPE Private Well

1952/05/27 DRILL DATE:

200FT

15FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 40

LOG ID: 012053

WELL TYPE

Noncommunity Public Well

DRILL DATE: DRILL DEPTH:

338FT

DEPTH TO BED:

19FT

S.W.L. (BEFORE CASING): 54

110 FT

FT

FT

FT

FT

REMARKS:

REMARKS:

REMARKS:

LOG NUMBER (#12052) ON LOG INCORRECT, should be #12053

S.W.L. (AFTER CASING):

LOG ID: 013228

WELL TYPE

Noncommunity Public Well

24

DRILL DATE: DRILL DEPTH: 1954/12/21

129FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008121

WELL TYPE Private Well

DRILL DATE:

1942/01/2

DRILL DEPTH:

84FT

30FT

21

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

32N

TOWNSHIP

RANGE 21W

SECTION

32

ELEVATION:

1,150FT

UTM X UTM Y

476.405.78 4,145,331.11

ZONE 15

1 MI SE OF PLEASANT HOPE; ALL "JEFFERSON CITY" ON LOG **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010740

WELL TYPE Private Well

1948/05/27 DRILL DATE:

32N

TOWNSHIP

SECTION 32

ELEVATION:

1,125FT

DRILL DEPTH:

168FT

UTM X 476,005.77

UTMY 4,145,939.11

DEPTH TO BED: 33FT

FT

REMARKS:

RANGE

21W

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

25

COTTER CALLED "JEFFERSON CITY" ON LOG

LOG ID:

WELL TYPE

023447 Community Public Well

DRILL DATE:

1965//

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

ZONE 15

1,169FT

DRILL DEPTH:

660FT

32N 21W

32

UTM X

475,926.78

UTMY 4,145,410.11

DEPTH TO BED:

S.W.L. (BEFORE CASING):

55FT

92

159

FT

FT

FT

FT

FΤ

REMARKS:

"AN EXCELLENT SET OF SAMPLES"

ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 027035

WELL TYPE Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE 32N

ELEVATION:

1,162FT

DRILL DEPTH:

365FT

21W 32

UTM X UTM Y

DEPTH TO BED:

45FT

476,005.78 4,145,331.11

ZONE 15

S.W.L. (BEFORE CASING):

75

REMARKS: FRED JONES, OWNER

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 029033

Community Public Well

DRILL DATE:

2004/01/14

TOWNSHIP 32N

RANGE 21W

SECTION

ELEVATION:

1,120FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

970FT

75FT

91

100

32

UTM X UTM Y

475.963.77

4,145,899.11

ZONE 15

REMARKS:

Lefty's Pump & Drilling was subcontracted by Flynn Drilling to drill this

well.



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016920

WELL TYPE Private Well

1957/01/16 DRILL DATE: **TOWNSHIP**

75

RANGE SECTION 32N 21W

ELEVATION:

1,172FT

DRILL DEPTH:

140FT

36

UTM X

482,832.85

UTMY 4,145,332.14

DEPTH TO BED: 15FT

> FT **REMARKS:**

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008101

WELL TYPE Private Well

DRILL DATE:

1942/09/15

TOWNSHIP

SECTION RANGE

ELEVATION: 1,095FT

ZONE 15

DRILL DEPTH:

DEPTH TO BED:

120FT

32N 21W 4

> UTM X **UTMY**

477,827.73

4,152,904.13

65FT

REMARKS: OLD WELL DEEPENED 64-120' ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 010735

WELL TYPE Private Well

DRILL DATE: 1948/06/06

TOWNSHIP RANGE SECTION 32N

21W 7 **ELEVATION:** 1,085FT

DRILL DEPTH: DEPTH TO BED: 200FT 130FT

282FT

124FT

59

UTM X UTM Y 4,151,843.13

475,174.71

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED 130-200'

S.W.L. (AFTER CASING):

LOG ID: 008105

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1942/10/03 **DRILL DATE:**

TOWNSHIP RANGE

32N

21W

SECTION 8

ELEVATION: 1,195FT

UTM X

UTM Y 4,151,575.12

477,366.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 124-282' REMARKS:

S.W.L. (AFTER CASING): 104



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010732

DRILL DEPTH:

WELL TYPE Private Well

1948/10/05 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,192FT

> 32N 21W 294FT

UTM X **UTMY** DEPTH TO BED: 15FT 477,793.75 4,151,486.12

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 141

LOG ID: 010738

WELL TYPE Private Well

1948/05/08 DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 1,118FT

32N 22W 11 DRILL DEPTH: 149FT

UTM X **UTMY** DEPTH TO BED: 25FT 472,278.67 4,151,840.13

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 35

LOG ID: 003940

WELL TYPE Private Well

DRILL DATE: 1936/08/27 **TOWNSHIP RANGE SECTION ELEVATION:** 1,080FT

32N 22W 14 **DRILL DEPTH:** 60FT

REMARKS:

UTM X UTM Y

SE OF BOLIVAR; STARTED IN BOTTOM OF DUG WELL

15

9

DEPTH TO BED: 20FT 472,034.67 4,150,431.12

ZONE 15 S.W.L. (BEFORE CASING): FT

22 S.W.L. (AFTER CASING):

LOG ID: 006959

WELL TYPE Private Well

1938// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,135FT

DRILL DEPTH: 220FT UTM X UTM Y

22W

DEPTH TO BED: 40FT 470.929.65 4,150,999.12

ZONE 15 S.W.L. (BEFORE CASING): FT

32N

OLD WELL DEEPENED 145-220' (#14790) IN 1956 **REMARKS**: S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014790

WELL TYPE Private Well

1956/04/02 DRILL DATE:

TOWNSHIP 32N

SECTION

ELEVATION:

1,102FT

DRILL DEPTH:

220FT

22W 15

RANGE

UTM X

UTMY 4,150,999.12

DEPTH TO BED:

40FT

470,929.65

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

SEE LOG #6959 - OLD WELL DEEPENED

LOG ID:

004022

WELL TYPE Private Well

DRILL DATE:

1936/09/02

TOWNSHIP

SECTION RANGE

ELEVATION: 1,148FT

DRILL DEPTH:

140FT

32N 22W 16

UTM X

469,009.63

UTMY 4,150,750.12

DEPTH TO BED: 60FT

REMARKS: YIELD - 1 GPM @ 120'

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027854

WELL TYPE Private Well

DRILL DATE:

1970/12/02

TOWNSHIP RANGE

SECTION

ELEVATION: 1,100FT

464,949.59

DRILL DEPTH:

280FT

32N 22W 19

UTM X UTM Y

ZONE 15

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

200FT

120

FT

REMARKS: COULD BE SECTION 9 INSTEAD OF 19

LOG ID: 011379

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1950//

TOWNSHIP 32N

RANGE 22W

SECTION 2

ELEVATION: 1,056FT

UTM X

472.424.66

UTM Y 4,153,144.13

4,148,484.13

DEPTH TO BED: 92FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013720

DRILL DEPTH:

WELL TYPE Private Well

230FT

DRILL DATE: 1953/10/20 TOWNSHIP RANGE SECTION ELEVATION: 1,151FT

32N 22W 26

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 30FT 471,243.69 4,147,909.12

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.4 MI E, 1.45 MI N OF BRIGHTON; YIELD - 15-18 GPM @ 150-230'

S.W.L. (AFTER CASING): 65

LOG ID: 026865

WELL TYPE
Private Well

DRILL DATE: 1971/06/09 TOWNSHIP RANGE SECTION ELEVATION: 1,124FT

DRILL DEPTH: 200FT 32N 22W 26

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 5FT 472,043.71 4,146,897.12

OIL & GAS TEST, TO BE USED FOR WATER

S.W.L. (BEFORE CASING): FT PEMARKS OF A CAS TEST TO BE USED FOR WATER

REMARKS:

S.W.L. (AFTER CASING): 65

LOG ID: 011099

WELL TYPE Private Well

DRILL DATE: 1947/09/20 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,121FT

DRILL DEPTH: 200FT 32N 22W 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 469,235.67 4,147,019.13

S.W.L. (BEFORE CASING): FT PEMARKS A SEMI-O OF LOT LIMBOOK S.40

REMARKS: 0.25 MI S OF JCT HWYS K & 13

S.W.L. (AFTER CASING): 135

LOG ID: 003648

WELL TYPE Private Well

<u>DRILL DATE:</u> 1936/05/30 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,078FT

<u>DRILL DEPTH:</u> 155FT 32N 22W 31

<u>DEPTH TO BED:</u> 25FT 465,568.64 4,145,147.14

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT REMARKS: ABT 2 MI W OF BRIGHTON, JUST E OF N-S RD THAT RUNS INTO

S.W.L. (AFTER CASING): 110 MORRISVILLE RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010112

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

215FT

215FT

1948/02/24 DRILL DATE:

TOWNSHIP RANGE SECTION 33

32N 22W

UTM X UTMY DEPTH TO BED: 30FT

469,175.68 4,146,017.13

1,172FT

1,146FT

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 165

YIELD - 8-9 GPM @ 210' **REMARKS**:

LOG ID: 012030

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1952/03/13 **TOWNSHIP SECTION RANGE** 32N

22W 33

UTM X UTMY

DEPTH TO BED: 45FT 469,175.68 4,145,813.13

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT IN BRIGHTON, JCT HWY 13 & HWY TO PLEASANT HOPE **REMARKS**:

S.W.L. (AFTER CASING): 154

LOG ID: 012995

WELL TYPE

Private Well

DRILL DATE: 1948/09/16 **TOWNSHIP RANGE SECTION ELEVATION:** 1,141FT

32N 22W 33 **DRILL DEPTH:** 200FT

UTM X UTM Y

DEPTH TO BED: 30FT 469,175.68 4,145,611.13

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** IN NE PART OF BRIGHTON; YIELD - 7-8 GPM @ 200'; "SWL 145-60

FT" ?? S.W.L. (AFTER CASING): 145

LOG ID:

DRILL DEPTH:

WELL TYPE

225FT

Private Well 016064

1953/07/07 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,167FT

UTM X UTM Y

DEPTH TO BED: 40FT 468.775.67 4,145,813.13

22W

33

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 6 GPM @ 200', 8 GPM @ 225' **REMARKS**:

32N

S.W.L. (AFTER CASING): 150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020953

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1961/05/31 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,182FT

225FT 32N 22W 33

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 45FT 468,975.68 4,145,813.13

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Ray & Vince Williams - IN BRIGHTON; YIELD - 7

GPM @ 225'

LOG ID: 016241

S.W.L. (AFTER CASING):

WELL TYPE Private Well 170

<u>DRILL DATE:</u> 1957/05/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,215FT

DRILL DEPTH: 475FT 32N 22W 35

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 280FT 472,501.72 4,145,787.12

OLD WELL DEEPENED 280-475', NO SAMPLES 0-280'

S.W.L. (BEFORE CASING): FT DEMARKS OF DIVISION OF A SECOND 15

S.W.L. (AFTER CASING): 170

LOG ID:

003672

WELL TYPE Private Well

<u>DRILL DATE:</u> 1936/06/29 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,140FT

DRILL DEPTH: 135FT 32N 22W 4

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 468,500.60 4,154,387.14

S.W.L. (BEFORE CASING): FT PEMARKS

REMARKS:

S.W.L. (AFTER CASING): 50

LOG ID: 011108

WELL TYPE Private Well

DRILL DATE: 1948/12/15 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,119FT

DRILL DEPTH: 180FT UTM Y

22W

5

<u>DEPTH TO BED:</u> 10FT 467,601.60 4,153,133.13

ZONE 15

S.W.L. (BEFORE CASING): FT DEMARKS: A SIMILE OF SUACUE, VIEUD 144 ORM @ 1751

32N

<u>REMARKS:</u> 0.5 MI E, 0.5 MI S OF SLAGLE; YIELD - 14 GPM @ 175' S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012042

DRILL DEPTH:

WELL TYPE Private Well

1950/10/24 DRILL DATE:

TOWNSHIP RANGE 32N

5

SECTION

ELEVATION: 1,086FT

UTM X

ZONE 15

466,801.58

UTMY 4,154,351.14

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

16

0.5 MI N OF SLAGLE ON W SIDE HWY 13; YIELDS - 3 GPM @ 100', 4 **REMARKS**:

@ 130'

LOG ID: 018741

WELL TYPE Private Well

DRILL DATE:

1958/10/

TOWNSHIP

SECTION RANGE

22W

ELEVATION: 1,084FT

DRILL DEPTH:

140FT

130FT

32N 22W

UTM X

ZONE 15

466,601.58

UTM Y 4,154,149.14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

15FT

35

REMARKS:

W SIDE OF HWY 13 IN SLAGLE; YIELD - 10 GPM @ 140'

5

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

010204

DRILL DATE:

1948/05/06

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,070FT

465,412.57

DRILL DEPTH:

238FT

32N 22W 6

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

5FT

40

4,153,615.14

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.6 MI E, 5.7 MI S OF BOLIVAR

S.W.L. (AFTER CASING):

LOG ID: 012383

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1951/03/06

210FT

25FT

TOWNSHIP 32N

RANGE SECTION

22W

ELEVATION:

UTM X UTM Y

ZONE 15

467.146.59

4,152,536.13

1,090FT

FT

0.8 MI S, 0.3 MI E OF SLAGLE; YIELDS - 6 @ 120', 9 @ 130', 15 & 145' **REMARKS**:

8

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026776

WELL TYPE Private Well

DRILL DATE: 1969/04/07 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,106FT

DRILL DEPTH: 500FT 32N 22W 9

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 468,154.61 4,152,267.13

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 016971

WELL TYPE Private Well

DRILL DATE: 1947/10/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,133FT

DRILL DEPTH: 230FT 32N 23W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 461,362.51 4,152,956.13

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 7-8 GPM @ 230'

S.W.L. (AFTER CASING): 180

LOG ID: 018744

WELL TYPE Private Well

DRILL DATE: 1959/10/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,117FT

<u>DRILL DEPTH:</u> 315FT 32N 23W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 210FT 460,163.50 4,152,554.13 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N & 5/8 MI E OF WISHART; NO SAMPLES RUN 0-210'

S.W.L. (AFTER CASING): 160

LOG ID: 007517

WELL TYPE Private Well

<u>DRILL DATE:</u> 1941/07/28 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,010FT

DRILL DEPTH: 110FT UTM X UTM Y

23W

15

<u>DEPTH TO BED:</u> 15FT 461,314.52 4,150,129.12

ZONE 15

32N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012020

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1951/04/16 DRILL DATE:

65FT

10FT

15

TOWNSHIP 32N

RANGE 23W

SECTION 16

ELEVATION:

976FT

UTM X **UTMY** 4,151,603.13

458,904.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.1 MI S OF MAIN JCT IN WISHART **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

DRILL DATE:

012361

1952/08/30

TOWNSHIP

RANGE

SECTION 16

ELEVATION:

980FT

DRILL DEPTH: DEPTH TO BED: 105FT 20FT

22

32N 23W

UTM X

UTMY

4,151,603.13

962FT

UTM Y

4,151,603.13

459,904.50 ZONE 15

ELEVATION:

UTM X

459,304.49

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

IN WISHART; YIELD - 2 GPM @ 100-105'

LOG ID:

WELL TYPE Private Well

012365 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1952/07/22

125FT

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

17

REMARKS:

0.25 MI W, 0.25 MI S OF WISHART; YIELD-10 GPM @ 68', 20-25 GPM

SECTION

16

@ 125'

TOWNSHIP

32N

LOG ID:

WELL TYPE Private Well

012911

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1952/09/25

105FT

20FT

TOWNSHIP 32N

RANGE 23W

RANGE

23W

SECTION 16

ELEVATION:

980FT

UTM X

459,304.49

UTM Y 4,151,603.13

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

IN WISHART; YIELD - 2 GPM @ 105'

S.W.L. (AFTER CASING):

26



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016054

WELL TYPE Private Well

1956/07/10 DRILL DATE:

TOWNSHIP RANGE SECTION 23W

ELEVATION:

978FT

DRILL DEPTH:

120FT 10FT 16

UTM X

UTMY 4,151,195.13

459,904.50

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

27

LOG ID: 016622

WELL TYPE Private Well

DRILL DATE:

1948/05/12

TOWNSHIP

32N

SECTION RANGE

ELEVATION:

979FT

DRILL DEPTH:

40FT

32N 23W

> **UTM X** 459,304.49

UTMY 4,151,399.13

DEPTH TO BED:

5FT

20

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IN WISHART, BACK OF OLD CONCRETE BUILDING

16

SECTION

16

S.W.L. (AFTER CASING):

LOG ID: 016729

WELL TYPE

Private Well

DRILL DATE:

1954/10/12

TOWNSHIP RANGE **ELEVATION:**

983FT

DRILL DEPTH:

80FT

32N 23W

IN WISHART, N OF STORE

UTM X 459,104.49

UTM Y 4,151,603.13

DEPTH TO BED:

50FT

30

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

016752 **DRILL DATE:**

1954/02/10

TOWNSHIP

RANGE

SECTION 16

ELEVATION:

978FT

DRILL DEPTH:

DEPTH TO BED:

97FT

20FT

32N 23W

UTM X

UTM Y 4,151,603.13

459,304.49 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 4 GPM @ 75', 6 GPM @ 97' **REMARKS**:

S.W.L. (AFTER CASING):

22



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016075

WELL TYPE Private Well

1954/10/27 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,002FT

> 32N 23W 150FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 15FT

18

455,225.43 4,151,347.13

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD 12 GPM @ 120'

S.W.L. (AFTER CASING): 75

LOG ID: 004230

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,090FT

32N 23W 21 DRILL DEPTH: 170FT

UTM X UTMY DEPTH TO BED: 10FT 459,048.51 4,148,561.14

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 130

LOG ID: 008674

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,010FT

32N 23W 21 **DRILL DEPTH:** 125FT

UTM X UTM Y **DEPTH TO BED:** 10FT 458,449.49 4,148,969.13

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: **MORRISVILLE**

S.W.L. (AFTER CASING):

LOG ID: 011097

WELL TYPE Private Well

1947/07/24 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 983FT

DRILL DEPTH: 110FT UTM X UTM Y

23W

21

DEPTH TO BED: 10FT 458.449.50 4,148,765.14

ZONE 15

32N

S.W.L. (BEFORE CASING): FT YIELD - 20 GPM @ 110' **REMARKS**:

S.W.L. (AFTER CASING): 44



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012992

DRILL DEPTH:

WELL TYPE Private Well

1949/04/22 DRILL DATE:

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

200FT

147

TOWNSHIP 32N

RANGE 23W

SECTION 23

ELEVATION:

1,107FT

UTM X 461,861.53

UTMY 4,149,683.13

ZONE 15

FT

FT

REMARKS:

formerly in name of P.W. Hartzett - YIELD 4 GPM @ 200'; 0.8 MI DUE

N OF MORRISVILLE, W SIDE

LOG ID: 018737

WELL TYPE Private Well

DRILL DATE:

1959/12/

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

1,147FT

DRILL DEPTH:

320FT

32N 23W

UTM X

UTMY 4,148,673.13

461,861.55 ZONE 15

DEPTH TO BED:

15FT

REMARKS: IN MORRISVILLE

S.W.L. (AFTER CASING): 200

S.W.L. (BEFORE CASING):

LOG ID: 020089

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

335FT

25FT

TOWNSHIP RANGE SECTION 32N 23W 23

UTM X

ELEVATION:

1,152FT

UTM Y 462,261.55 4,148,875.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021779 Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1,000FT

25FT

205

TOWNSHIP 32N

RANGE 23W

SECTION 23

NO PRODUCTION OR CONSTRUCTION DATA

ELEVATION:

1,155FT

UTM X 462,301.55

UTM Y 4,148,523.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2/27/2007

4,559



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011096

DEPTH TO BED:

WELL TYPE Private Well

1947/07/09 DRILL DATE:

32N

SECTION

ELEVATION:

942FT

DRILL DEPTH: 140FT **RANGE** 23W 29

UTM X

UTMY 4,147,621.15

457,774.50 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

2.5 MI W OF WARD & 0.5 MI S OF MORRISVILLE; YIELD 20 GPM @

105'

TOWNSHIP

LOG ID: 010430

WELL TYPE Private Well

DRILL DATE:

1948/08/19

TOWNSHIP

RANGE

SECTION 3

ELEVATION: 1,176FT

ZONE 15

DRILL DEPTH:

390FT

15FT

25

32N 23W

UTM X

460,421.50

UTMY 4,153,355.14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

260

REMARKS:

OLD WELL (#10430) DEEPENED 275-390' (#19130); 1 MI N OF

WISHART, .6 E

LOG ID:

WELL TYPE Private Well

019130

DRILL DATE:

1948/08/19

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,175FT

DRILL DEPTH:

32N

23W

UTM X

UTM Y

DEPTH TO BED:

460,421.50 4,153,355.14

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED - SEE LOG #10430

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020134

Noncommunity Public Well

DRILL DATE:

1961/08/

TOWNSHIP

RANGE

SECTION

3

ELEVATION:

1,038FT

DRILL DEPTH:

650FT

32N 23W 31

UTM X

DEPTH TO BED:

25FT

455.834.50

UTM Y 4,145,618.17

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

GRAYDON SPRINGS; NO PRODUCTION OR CONSTRUCTION DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011098

WELL TYPE Private Well

1947/07/19 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,045FT

32N 23W 32 **DRILL DEPTH:** 210FT

UTM X UTMY DEPTH TO BED: 15FT 456,716.50 4,146,420.16

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 12 GPM @ 210'; 1 MI E & 0.5 MI N OF GRAYDON SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 110

LOG ID: 007662

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1940/07/ **RANGE ELEVATION:** 1,072FT

32N 23W 8 DRILL DEPTH: 245FT

UTM X UTMY DEPTH TO BED: 160FT 458,164.47 4,152,051.13

ZONE 15

S.W.L. (BEFORE CASING): OLDL WELL DEEPENED 160--245'; "NO LEAD OR ZINC NOTED" REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016574

WELL TYPE Private Well

DRILL DATE: 1950/01/20 **TOWNSHIP RANGE SECTION ELEVATION:** 1,062FT

32N 23W 9 **DRILL DEPTH:** 215FT

UTM X UTM Y

DEPTH TO BED: 459,165.49 4,152,400.13 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 0.5 MI N OF WISHART

S.W.L. (AFTER CASING): 110

LOG ID: 012991

WELL TYPE Private Well

1950/11/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 980FT

32N 24W 10 DRILL DEPTH: 150FT

DEPTH TO BED: 20FT 451.752.39 4,153,373.18

UTM Y

UTM X

ZONE 15 S.W.L. (BEFORE CASING): FT

formerly in name of Harry H. Tipp - 4 MI E, 1.4 MI S OF ALDRICH **REMARKS:** 70 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018738

WELL TYPE Private Well

1958/05/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,030FT

32N 24W 10 **DRILL DEPTH:** 300FT

REMARKS:

UTM X UTMY 4,153,595.19

DEPTH TO BED: 155FT 450,628.38

ZONE 15 S.W.L. (BEFORE CASING): FT OLD WELL DEEPENED 155-300'; S OF ALDRICH; YIELD - 10 GPM @

200' S.W.L. (AFTER CASING): 120

LOG ID: 012950

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1954/01/05 **RANGE ELEVATION:** 995FT

32N 24W 14 DRILL DEPTH: 208FT

UTM X UTMY DEPTH TO BED: 452,255.40 110FT 4,151,721.16

ZONE 15 S.W.L. (BEFORE CASING): FT

2.1 MI DUE N OF EUDORA REMARKS:

S.W.L. (AFTER CASING): 82

LOG ID: 012956

WELL TYPE Private Well

DRILL DATE: 1953/11/16 **TOWNSHIP RANGE SECTION ELEVATION:** 926FT

32N 24W 14 **DRILL DEPTH:** 70FT

UTM X UTM Y **DEPTH TO BED:** 20FT 453,111.41 4,151,727.16

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 2.2 MI N, 0.55 MI E OF EUDORA; YIELD - 50 GPM @ 20'

S.W.L. (AFTER CASING): 15

LOG ID: 012961

WELL TYPE Private Well

1948/10/29 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,002FT

32N 24W 14 **DRILL DEPTH:** 200FT

UTM X DEPTH TO BED: 10FT 452.202.39 4,150,552.16

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT formerly in name of C.L. Simmons - 1.2 MI DUE N OF EUDORA **REMARKS:** S.W.L. (AFTER CASING): 97



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010445

WELL TYPE Private Well

1948/07/30 DRILL DATE:

TOWNSHIP 32N

RANGE SECTION **ELEVATION:**

992FT

DRILL DEPTH:

254FT

17

UTMY

DEPTH TO BED: 5FT

24W

UTM X 447,452.33

4,150,560.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

2.9 MI W, 1.3 MI N OF EUDORA **REMARKS**:

S.W.L. (AFTER CASING):

70

LOG ID: 018745

WELL TYPE Private Well

DRILL DATE:

1958/06/

TOWNSHIP

RANGE

SECTION 17

ELEVATION:

982FT

DRILL DEPTH:

300FT

32N 24W

> **UTM X** 447,376.34

UTM Y 4,151,283.21

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5FT

100

REMARKS:

ZONE 15 2 1/8 MI W, 2 5/8 MI S OF CENTER OF ALDRICH; YIELD - 15 GPM @

245'

LOG ID:

WELL TYPE Private Well

013799 **DRILL DATE:**

1955/12/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

964FT

DRILL DEPTH:

280FT

32N 24W

> UTM X UTM Y

DEPTH TO BED:

5FT

77

4,151,530.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: YIELD - 8 GPM @ 120', 12 GPM @ 140', 15 GPM @ 170'

S.W.L. (AFTER CASING):

LOG ID: 019302

WELL TYPE Private Well

DRILL DATE:

1960/09/10

TOWNSHIP

RANGE

SECTION

18

ELEVATION:

446,749.33

DRILL DEPTH:

DEPTH TO BED:

274FT 20FT 32N 24W

19

UTM X UTM Y

ZONE 15

445.379.32

4.149.411.24

S.W.L. (BEFORE CASING):

FT

2 MI E OF DADEVILLE ON HWY W, 1 MI N ON HWY OO **REMARKS**:

S.W.L. (AFTER CASING):

206



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011107

DEPTH TO BED:

WELL TYPE Private Well

1948/09/15 DRILL DATE: **TOWNSHIP**

120FT

RANGE SECTION 32N 24W 21

ELEVATION: 1,025FT

DRILL DEPTH: 300FT

UTM X

449,020.36

4,150,319.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 120-300'; 1.9 MI W, 1 MI N OF EUDORA **REMARKS**:

S.W.L. (AFTER CASING): 100

LOG ID: 016735

WELL TYPE Private Well

DRILL DATE:

1949/11/29

TOWNSHIP

SECTION RANGE

ELEVATION:

995FT

UTMY

DRILL DEPTH:

280FT

32N 24W 21

UTM X

UTMY

DEPTH TO BED: 90FT

449,420.37 4,149,501.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 2.5-3 GPM @ 200-210', 4-5 GPM @ 280'

S.W.L. (AFTER CASING): 95

LOG ID: 027849

WELL TYPE Private Well

DRILL DATE: 1971/03/21 **TOWNSHIP RANGE SECTION** 32N 24W

ELEVATION:

997FT

DRILL DEPTH:

410FT

130

21

UTM X UTM Y

DEPTH TO BED: 10FT 449,320.37 4,149,604.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4.5 MI S OF ALDRICH ON HWY 123; 10-FT SAMPLES

S.W.L. (AFTER CASING):

LOG ID: 019132

WELL TYPE Private Well

DRILL DATE:

1960/01/05

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,108FT

DRILL DEPTH:

DEPTH TO BED:

240FT 10FT 32N 24W 22

> UTM X UTM Y

451.629.39

4,150,258.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

1.2 MI N, 0.25 MI W OF EUDORA; YIELD - 10 GPM @ 85' **REMARKS**:

S.W.L. (AFTER CASING): 85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010440

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1948/09/02 DRILL DATE:

65FT

7FT

9

TOWNSHIP RANGE SECTION 32N

24W 24 **ELEVATION:**

926FT

UTM X 453,874.42

UTMY 4,149,955.15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 010624

WELL TYPE Private Well

DRILL DATE:

1947/04/28

TOWNSHIP

RANGE

RANGE

24W

1.75 MI E, 0.25 MI N OF EUDORA

SECTION

SECTION

24

ELEVATION:

1,035FT

DRILL DEPTH:

200FT

32N

24W 24

UTM X

ELEVATION:

UTM X

454,474.44

UTMY

1,026FT

UTM Y

4,149,141.15

DEPTH TO BED: 125FT 453,874.42

4,150,159.14 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

1.75 MI E, 1 MI N OF EUDORA; NO SAMPLES 0-125' REMARKS:

S.W.L. (AFTER CASING):

100

WELL TYPE Private Well

010625 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

LOG ID:

1947/05/09

200FT

100

40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016079

WELL TYPE Private Well

DRILL DATE:

1954/01/28

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

280FT

55FT

172

TOWNSHIP 32N

TOWNSHIP

32N

REMARKS:

REMARKS:

RANGE 24W

SECTION

25

ELEVATION:

1,113FT

UTM X 453,410,44

UTM Y 4,147,723.17

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016090

DEPTH TO BED:

WELL TYPE Private Well

1953/09/07 DRILL DATE:

140FT 30FT

32N

TOWNSHIP

RANGE 24W

SECTION 25

ELEVATION:

1,101FT

DRILL DEPTH:

UTM X **UTMY** 453,410.45 4,147,315.18

ZONE 15

S.W.L. (BEFORE CASING):

70

FT

FT

FT

YIELD - 3.5 GPM @ 126', 4 GPM @ 140' **REMARKS**:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

009926 DRILL DATE:

LOG ID:

1947/02/12

TOWNSHIP

SECTION RANGE

ELEVATION: 1,104FT

DRILL DEPTH:

225FT

32N 24W 26

UTM X

452,994.43 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

REMARKS: 0.5 MI E OF EUDORA

S.W.L. (AFTER CASING):

90

LOG ID: 012986

WELL TYPE Private Well

DRILL DATE:

1954/01/19

TOWNSHIP

RANGE SECTION 3

ELEVATION:

909FT

UTMY

4,148,594.17

DRILL DEPTH:

200FT

32N 24W

> UTM X 450,813.38

UTM Y 4,155,158.20

DEPTH TO BED:

20FT

14

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018749

WELL TYPE Private Well

DRILL DATE:

1959/03/

TOWNSHIP 32N

RANGE

SECTION 3

ELEVATION:

1,040FT

DRILL DEPTH:

DEPTH TO BED:

300FT 5FT 24W

IN SW PART OF ALDRICH

UTM X

UTM Y

450.740.38

4,153,824.19 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

1 MI S, 1/8 MI W OF CENTER OF ALDRICH; YIELD - 15 GPM @ 200'

S.W.L. (AFTER CASING):

130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011138

DRILL DEPTH:

WELL TYPE Private Well

1949/10/ DRILL DATE:

210FT

DEPTH TO BED: 65FT **TOWNSHIP RANGE SECTION** 32N 24W 30

ELEVATION:

1,088FT

UTM X 445,529.33

UTMY 4,148,192.25

ZONE 15

S.W.L. (BEFORE CASING):

3 MI E OF DADEVILLE, 0.5 MI N ON DADE-POLK COUNTY LINE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 006355

WELL TYPE Private Well

DRILL DATE:

1940/08/

TOWNSHIP 32N

32N

SECTION RANGE

ELEVATION:

1,097FT

DRILL DEPTH:

DEPTH TO BED:

400FT

24W 31

UTM X

ZONE 15

445,668.35

UTMY 4,145,953.27

10FT

"COULDN'T LOCATE" REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 011193

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1948/11/07

SECTION TOWNSHIP RANGE 24W 35

ELEVATION: 1,103FT

DRILL DEPTH: 230FT

25FT

140

UTM X UTM Y 452,736.46 4,145,549.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI E, 1.7 MI S OF EUDORA

S.W.L. (AFTER CASING):

LOG ID: 014787

WELL TYPE Private Well

1955/10/10 **DRILL DATE:**

TOWNSHIP RANGE SECTION **ELEVATION:** 1,059FT

DRILL DEPTH: DEPTH TO BED: 300FT 20FT 32N 24W

> UTM X UTM Y

450.130.37 4,153,656.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026788

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1969/07/ DRILL DATE:

310FT

25FT

TOWNSHIP RANGE 32N 24W

SECTION 6

ELEVATION:

970FT

UTM X 446,880.34

UTMY 4,154,934.23

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 014817

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1954/06/15

250FT

15FT

TOWNSHIP

TOWNSHIP

32N

RANGE

SECTION 8

ELEVATION: 1,021FT

32N

24W

UTM X

UTMY

1,009FT

UTM Y

4,153,234.21

448,087.35

ELEVATION:

UTM X

448,665.35

4,153,250.21 ZONE 15

S.W.L. (BEFORE CASING):

140

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 014816

1954/09/30

250FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016057

DRILL DATE:

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1957/03/02

290FT

5FT

TOWNSHIP 32N

RANGE 24W

RANGE

24W

SECTION

9

SECTION

9

ELEVATION:

1,054FT

UTM X 450.129.37

UTM Y 4,153,153.19

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**:

S.W.L. (AFTER CASING):

147

120

YIELD - 7-8 GPM @ 200', 15 GPM @ 290'



RANGE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016067

WELL TYPE Private Well

1956/12/11 DRILL DATE:

TOWNSHIP 32N

SECTION

ELEVATION: 1,066FT

DRILL DEPTH:

335FT

24W 9

UTM X **UTMY**

DEPTH TO BED: 10FT

185

449,124.36

4,153,638.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 016087

WELL TYPE Private Well

DRILL DATE:

1950/10/24

TOWNSHIP

SECTION RANGE 9

ELEVATION:

973FT

DRILL DEPTH:

230FT

32N 24W

UTM X

UTMY 4,153,087.19

DEPTH TO BED: 130FT

450,045.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

90

REMARKS: NO SAMPLES 0-130'

S.W.L. (AFTER CASING):

LOG ID: 008113

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,176FT

DRILL DEPTH:

140FT

33N 21W

UTM X

UTM Y

DEPTH TO BED:

5FT

REMARKS:

483,276.69 4,163,048.20 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013463

WELL TYPE Private Well

DRILL DATE:

1955/02/24

TOWNSHIP

SECTION RANGE

ELEVATION:

1,153FT

DRILL DEPTH:

180FT

33N

21W

UTM Y

DEPTH TO BED:

20FT

35

UTM X 484,276.70 4,162,234.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

YIELD - 7 GPM @ 155', 10 GPM @ 180' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010109

DRILL DEPTH:

WELL TYPE Private Well

50FT

1947/10/28 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

33N

21W 11

UTM X **UTMY** DEPTH TO BED: 10FT 482,218.70 4,160,651.19

ZONE 15

ZONE 15

1,161FT

S.W.L. (BEFORE CASING): FT YIELD - 8 GPM @ 30' **REMARKS**:

S.W.L. (AFTER CASING): 22

LOG ID: 011197

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION** 1948/11/18 **ELEVATION:** 1,171FT

33N 21W 12 DRILL DEPTH: 150FT

UTM X **UTMY** DEPTH TO BED: 5FT 484,237.71 4,161,427.20

S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E, 1.1 MI S OF HALFWAY

S.W.L. (AFTER CASING): 20

LOG ID: 009242

WELL TYPE Private Well

DRILL DATE: 1946/09/19 **TOWNSHIP RANGE SECTION ELEVATION:** 1,171FT

> 33N 21W 14

DRILL DEPTH: 140FT UTM X UTM Y

DEPTH TO BED: 60FT 482,076.71 4,159,560.18 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 2 MI E, 2.5 MI S OF HALFWAY

50 S.W.L. (AFTER CASING):

LOG ID: 011189

WELL TYPE Private Well

1949/08/08 **RANGE DRILL DATE: TOWNSHIP SECTION** 1,145FT **ELEVATION:**

33N 21W 15 **DRILL DEPTH:** 155FT

DEPTH TO BED: 12FT 480,557.69 4,160,512.18

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT

1.7 MI E, 1.9 MI S OF HALFWAY **REMARKS**:

S.W.L. (AFTER CASING): 32



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012033

DRILL DEPTH:

WELL TYPE Private Well

1950/07/06 DRILL DATE:

104FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 35 **TOWNSHIP RANGE SECTION** 33N

21W 20

3 MI S OF HALFWAY ON HWY H

ELEVATION:

1,167FT

UTM X

UTMY 4,158,496.15

477,484.69

ZONE 15

LOG ID:

WELL TYPE Private Well 011185

DRILL DATE:

DEPTH TO BED:

1948/10/12

TOWNSHIP 33N

RANGE 21W

SECTION 24

SECTION

25

ELEVATION:

1,202FT

DRILL DEPTH: 130FT

10FT

REMARKS:

RANGE

21W

UTM X 483,548.74 **UTMY**

4,157,818.18 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

26

FT

REMARKS: 2.5 MI E, 3.4 MI S OF HALFWAY

TOWNSHIP

33N

LOG ID: 008102

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1942/10/27

136FT

DEPTH TO BED: 33FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

82

REMARKS:

FT

DUG WELL TO 33'

UTM X 482,895.75

ELEVATION:

UTM Y 4,156,208.17

1,271FT

ZONE 15

LOG ID:

WELL TYPE Private Well

011181 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1949/03/25

110FT

15FT

11

TOWNSHIP 33N

RANGE 21W

SECTION 25

ELEVATION:

1,231FT

UTM X UTM Y

483,595.75 4,156,713.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS**:

1.2 MI E, 0.25 MI N OF SCHOFIELD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005960

DRILL DEPTH:

WELL TYPE Private Well

1940/04/ DRILL DATE: **TOWNSHIP**

101FT

RANGE SECTION 33N 21W 26

> UTM X **UTMY**

ELEVATION:

DEPTH TO BED: 25FT 481,686.74

REMARKS:

4,156,054.17

1,219FT

ZONE 15

34

S.W.L. (AFTER CASING):

LOG ID: 010122

S.W.L. (BEFORE CASING):

WELL TYPE Private Well

DRILL DATE: 1948/01/21 **TOWNSHIP SECTION RANGE ELEVATION:** 1,195FT

33N 21W 27 DRILL DEPTH: 160FT

FT

UTM X UTMY DEPTH TO BED: 45FT 479,465.72 4,155,893.15

@ SCHOFIELD

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: OLD WELL TO 46'; 1.25 MI W, 1/8 MI S OF SCHOFIELD

S.W.L. (AFTER CASING):

LOG ID: 005799

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/10/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,110FT

33N 21W 3 **DRILL DEPTH:** 475FT

UTM X UTM Y

DEPTH TO BED: 480,235.67 4,163,762.19 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: AT HALFWAY

70 S.W.L. (AFTER CASING):

LOG ID: 011196

WELL TYPE Private Well

215FT

1949/08/20 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,151FT

33N

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 10FT 478.723.72 4,155,648.15

21W

ZONE 15

33

S.W.L. (BEFORE CASING): FT 2 MI W, 0.5 MI S OF SCHOFIELD **REMARKS**:

74 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012225

WELL TYPE Private Well

DRILL DATE: 1952/11/18 TOWNSHIP RANGE SECTION ELEVATION: 1,177FT

<u>DRILL DEPTH:</u> 253FT 33N 21W 34

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 479,426.73 4,155,703.15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 4.8 MI DUE S OF HALFWAY; YIELDS - 5-6 @ 100', 9 @ 140', 12 @

180'

LOG ID: 012923

S.W.L. (AFTER CASING):

WELL TYPE Private Well 70

DRILL DATE: 1954/05/10 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,198FT

DRILL DEPTH: 253FT 33N 21W 34

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 479,426.74 4,154,489.15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI W, 1.05 MI S OF SCHOFIELD

S.W.L. (AFTER CASING): 80

LOG ID: 009751

WELL TYPE Private Well

<u>DRILL DATE:</u> 1946/10/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,219FT

DRILL DEPTH: 125FT 33N 21W 35

UTM X UTM Y

<u>DEPTH TO BED:</u> 20FT 482,439.76 4,154,848.17

ASING): ET

S.W.L. (BEFORE CASING): FT REMARKS: 0.75 MI S, 0.25 MI E OF SCHOFIELD

S.W.L. (AFTER CASING): 42

LOG ID: 013777

WELL TYPE Private Well

<u>DRILL DATE:</u> 1954/06/03 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,088FT

DRILL DEPTH: 85FT 33N 21W

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 478,242.66 4,163,393.18

4

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: IN HALFWAY, N SIDE OF HIWAY; OLD WELL TO 35'

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016426

DEPTH TO BED:

WELL TYPE Private Well

1948/06/ DRILL DATE:

225FT

15FT

44

TOWNSHIP 33N

RANGE 21W 4

SECTION

ELEVATION:

DRILL DEPTH:

UTM X **UTMY** 479,042.66 4,163,393.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN NE PART OF HALFWAY

S.W.L. (AFTER CASING):

WELL TYPE Private Well

016973 DRILL DATE:

LOG ID:

1957/08/31

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,095FT

DRILL DEPTH:

150FT

33N 21W

UTM X

UTMY

DEPTH TO BED: 30FT 478,442.66

4,163,393.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

INB HALFWAY, N SIDE HWY 32, N & W OF CHRISTIAN CHURCH

4

S.W.L. (AFTER CASING): 46

LOG ID: 013464

WELL TYPE Private Well

DRILL DATE:

1955/01/08

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

ZONE 15

1,125FT

DRILL DEPTH:

180FT

33N 21W

UTM X 477,253.65

UTM Y 4,163,449.17

DEPTH TO BED:

35FT

75

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014308

Private Well

DRILL DATE:

1956/03/05

TOWNSHIP

SECTION RANGE

ELEVATION:

1,114FT

DRILL DEPTH:

DEPTH TO BED:

200FT 5FT 33N 21W 5

UTM X UTM Y

477,653.65

4,163,241.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

observation well - TOTAL DRAW-DOWN

S.W.L. (AFTER CASING): 63



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016619

WELL TYPE Private Well

1950/06/10 DRILL DATE:

TOWNSHIP RANGE SECTION 33N 21W 5

ELEVATION: 1,079FT

DRILL DEPTH: 115FT

UTM X

UTMY

DEPTH TO BED: 20FT 476,653.64

4,163,241.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

20

LOG ID: 016635

WELL TYPE Private Well

DRILL DATE:

1957/08/16

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

153FT

33N 21W 6

UTM X **UTMY**

475,289.63 ZONE 15

4,163,284.18

DEPTH TO BED: S.W.L. (BEFORE CASING):

5FT

36

S.W.L. (AFTER CASING):

FT **REMARKS:**

LOG ID: 016969

WELL TYPE Private Well

DRILL DATE:

1951/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

475,689.64

1,076FT

DRILL DEPTH:

90FT

33N 21W 6

UTM X

ZONE 15

DEPTH TO BED: 10FT

UTM Y 4,162,876.17

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

17

LOG ID: 016403

WELL TYPE Private Well

DRILL DATE:

1957/06/13

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,149FT

DRILL DEPTH:

DEPTH TO BED:

205FT 15FT 33N 21W 8

UTM X UTM Y

477,402.66

4,161,984.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.85 MI S, 0.25 MI W OF JCT HWYS H & 32 **REMARKS**:

S.W.L. (AFTER CASING):

94



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016968

WELL TYPE Private Well

DRILL DATE:

1957/11/27 **TOWNSHIP** 33N

RANGE SECTION 21W

ELEVATION:

1,096FT

DRILL DEPTH:

DEPTH TO BED:

115FT

9

UTM X

478,985.67

UTMY 4,161,952.17

ZONE 15

S.W.L. (BEFORE CASING):

17

REMARKS: YIELD - 35 GPM @ 60'

S.W.L. (AFTER CASING):

FT

FT

FT

LOG ID: 016408

WELL TYPE Private Well

DRILL DATE:

1949/12/20

TOWNSHIP

SECTION RANGE

1

ELEVATION: 1,094FT

DRILL DEPTH:

60FT

33N 22W

UTM X

UTMY 4,163,186.18

474,308.62 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

S.W.L. (AFTER CASING):

32

REMARKS:

LOG ID: 010195

WELL TYPE Private Well

DRILL DATE:

1948/01/13

TOWNSHIP

RANGE SECTION 10

ELEVATION: 1,049FT

DRILL DEPTH:

125FT

33N 22W

> UTM X UTM Y

> > ZONE 15

471,338.60

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING):

95

REMARKS: 5 MI E., 0.2 MI S OF BOLIVAR; YIELD - 14 GPM @ 115'

S.W.L. (AFTER CASING):

LOG ID: 012914

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1954/07/16

210FT

30FT

70

TOWNSHIP

RANGE

SECTION 10

ELEVATION: 1,023FT

33N

22W

UTM X

471.438.60

UTM Y 4,162,480.18

4,162,380.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

4.8 MI E, 0.2 MI S OF BOLIVAR ON HWY 64; YIELD 10 GPM @ 110',

20 @ 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012933

WELL TYPE Private Well

1954/06/31 DRILL DATE:

33N 200FT

TOWNSHIP RANGE SECTION 22W 10

ELEVATION:

1,043FT

DRILL DEPTH:

DEPTH TO BED:

UTM X 470,038.58

UTMY 4,162,480.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

3.9 MI E. 0.2 MI S OF BOLIVAR ON HWT 54, N SIDE RD **REMARKS**:

S.W.L. (AFTER CASING): 40

LOG ID: 012951

WELL TYPE Private Well

DRILL DATE:

1953/03/30

TOWNSHIP

RANGE

SECTION ELEVATION:

1,092FT

DRILL DEPTH:

205FT

25FT

33N 22W 10

> **UTM X UTMY**

> > ZONE 15

470,038.59

4,161,074.17

DEPTH TO BED:

S.W.L. (BEFORE CASING):

20FT

REMARKS:

1.5 MI W, 0.6 MI S OF BURNS; YIELD - 5 GPM @ 120', 8 GPM @ 205'

S.W.L. (AFTER CASING): 74

LOG ID: 012987

WELL TYPE

Private Well

DRILL DATE:

1954/08/16

TOWNSHIP 33N

RANGE SECTION **ELEVATION:** 1,043FT

DRILL DEPTH: DEPTH TO BED: 200FT

20FT

55

22W

UTM X UTM Y

470,038.58 4,162,480.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 4 MI E, 0.2 MI S OF BOLIVAR ON HWY 64; YIELD 10@100', 12@120,

10

15@150'

LOG ID: 020951

WELL TYPE

Private Well

DRILL DATE:

1961/04/18

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,061FT

DRILL DEPTH:

DEPTH TO BED:

365FT 20FT

64

33N 22W 10

UTM X UTM Y

470.438.59 4,162,280.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020958

DRILL DEPTH:

LOG ID:

028437

WELL TYPE Private Well

1961/02/27 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,023FT

> 33N 22W 10 240FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 15FT

YIELD - 20 GPM @ 120'

470,838.59 4,162,280.18

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 37

WELL TYPE Irrigation Well

DRILL DATE: **TOWNSHIP SECTION** 1980/12/03 **RANGE ELEVATION:** 1,085FT

33N 22W 10 DRILL DEPTH: 900FT

UTM X **UTMY** DEPTH TO BED: 10FT 470,438.60 4,161,074.17

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 012018

DRILL DATE: 1951/06/25 **TOWNSHIP RANGE SECTION ELEVATION:**

33N 22W 11 **DRILL DEPTH:** 175FT

UTM Y UTM X **DEPTH TO BED:** 130FT 472,041.60 4,162,426.17

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 127.5-175'; 5.1 MI E, 0.25 MI S OF BOLIVAR

100 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

DRILL DEPTH:

Noncommunity Public Well 016423

135FT

1950/04/07 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 991FT

UTM X UTM Y DEPTH TO BED: 473.041.62 4,162,224.17 5FT

22W

11

ZONE 15

33N

S.W.L. (BEFORE CASING): FT **REMARKS:** ON HWY 32 AT N EDGE OF BURNS; YIELD - 15 GPM @ 110', 18

S.W.L. (AFTER CASING): 19 GPM @ 130'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009215

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1943/10/ DRILL DATE:

300FT

215FT

68

FT

FT

TOWNSHIP RANGE 33N 12

22W

SECTION

ELEVATION:

1,069FT

UTM X 473,861.63

UTMY 4,161,766.17

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

OLD WELL TO 215'; 6 MI E OF BOLIVAR **REMARKS**:

LOG ID: 011112

WELL TYPE Private Well

DRILL DATE:

1949/02/12

TOWNSHIP

RANGE

SECTION 12

SECTION

12

ELEVATION:

996FT

DRILL DEPTH: DEPTH TO BED: 70FT 5FT

33N 22W

UTM X

ELEVATION:

UTM X

UTMY

1,090FT

UTM Y

473,861.63 4,161,972.17

ZONE 15

S.W.L. (BEFORE CASING):

30

REMARKS: 0.4 MI E OF BURNS

TOWNSHIP

33N

S.W.L. (AFTER CASING):

LOG ID: 012041

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1952/05/21

140FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

27

REMARKS:

7 MI E OF BOLIVAR ON HWY 64

RANGE

22W

474,261.63 4,162,382.17

ZONE 15

LOG ID: 012037

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1950/09/27

123FT

153FT

68

TOWNSHIP 33N

RANGE 22W

SECTION 13

ELEVATION:

1,098FT

UTM X 474,613.65

UTM Y 4,159,337.16

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL TO 123'; 0.7 MI N OF VAN

2/27/2007

4,579



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012932

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1953/11/27 TOWNSHIP RANGE SECTION ELEVATION:

170FT 33N 22W 15

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 470,992.61 4,159,868.16

ZONE 15

1,079FT

S.W.L. (BEFORE CASING): FT REMARKS: 4.4 MI E, 1.8 MI S OF BOLIVAR; OLD WELL TO 40'

S.W.L. (AFTER CASING): 55

LOG ID: 016621

WELL TYPE Private Well

DRILL DATE: 1953/10/10 TOWNSHIP RANGE SECTION ELEVATION: 1,074FT

DRILL DEPTH: 240FT 33N 22W 15

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 115FT 470,392.60 4,160,068.17

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Charles May - OLD WELL TO 115'; 4.1 MI E, 1.7 MI

S.W.L. (AFTER CASING): 97 S OF BOLIVAR

LOG ID: 011183

WELL TYPE Private Well

DRILL DATE: 1949/10/31 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,079FT

DRILL DEPTH: 105FT 33N 22W 16

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 33FT 469,787.59 4,159,719.16 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3.8 MI E, 2 MI S OF BOLIVAR

S.W.L. (AFTER CASING): 70

LOG ID: 016974

WELL TYPE Private Well

DRILL DATE: 1957/12/14 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION</u>: 1,084FT

<u>DRILL DEPTH:</u> 137FT 33N 22W 16

DEPTH TO BED: 20FT 469,187.59 4,160,125.17

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT PENAPYO A TAMA O STATE OF DOUBLE

S.W.L. (AFTER CASING): REMARKS: 1.7 MI S, 3.5 MI E OF CENTER OF BOLIVAR



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012968

DRILL DEPTH:

LOG ID:

WELL TYPE Private Well

1950/11/22 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,051FT

> 33N 22W 17 145FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 15FT

2.1 MI E, 2.2 MI N OF KARLIN

466,775.56 4,159,780.17

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 43

WELL TYPE

010619 Private Well

DRILL DATE: **TOWNSHIP SECTION** 1947/05/29 **RANGE ELEVATION:** 1,056FT

33N 22W 18 DRILL DEPTH: 115FT

UTM X UTMY DEPTH TO BED: 466,613.56 23FT 4,159,879.17

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI S, 2 MI E OF BOLIVAR; YIELD - 10 GPM @ 110' REMARKS:

S.W.L. (AFTER CASING): 33

LOG ID: **WELL TYPE** Private Well 011092

DRILL DATE: 1947/06/04 **TOWNSHIP RANGE SECTION ELEVATION:** 1,083FT

33N 22W 18 **DRILL DEPTH:** 130FT

UTM X **UTMY DEPTH TO BED:** 55FT 465,613.55 4,161,031.17

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of D.R. Fullerton - OLD WELL TO 55'; 1.25 MI S, 1.25

50 MI E OF BOLIVAR S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 012910

1954/02/23 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,077FT

33N 22W 18 **DRILL DEPTH:** 155FT

DEPTH TO BED: 466.613.56 4,160,455.17 25FT

ZONE 15 S.W.L. (BEFORE CASING): FT

1.9 MI E., 1.4 MI S OF BOLIVAR **REMARKS**: S.W.L. (AFTER CASING): 52



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006958

WELL TYPE Private Well

1938// DRILL DATE:

TOWNSHIP 33N

RANGE SECTION **ELEVATION:**

1,128FT

DRILL DEPTH:

96FT

22W 19

UTM X

UTMY 4,158,074.16

DEPTH TO BED:

466,360.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 012953

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1953/08/13

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

175FT

33N

22W 2

> UTM X **UTMY**

> > ZONE 15

471,886.60

4,163,232.18

DEPTH TO BED:

10FT

20

FT

REMARKS:

0.8 MI E, 0.25 MI N OF BOLIVAR; YIELD 30 GOM @ 55-60'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 011113

WELL TYPE

Private Well

DRILL DATE:

1949/04/30

TOWNSHIP

RANGE

SECTION 21

ELEVATION:

1,097FT

DRILL DEPTH:

180FT

33N 22W

UTM X

UTMY

DEPTH TO BED:

85FT

468,340.59 4,157,899.16

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL TO 80'; 3.1 MI E, 3 MI S OF BOLIVAR

LOG ID: 010110

WELL TYPE

Private Well

DRILL DATE:

1948/04/10

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

1,142FT

DRILL DEPTH:

175FT

33N

22W

UTM X

UTM Y

DEPTH TO BED:

15FT

470.157.61

4,157,853.16 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026903

DRILL DEPTH:

WELL TYPE

Community Public Well

1971/08/17 DRILL DATE:

545FT

DEPTH TO BED: 20FT

TOWNSHIP RANGE SECTION 33N 22W

24

ELEVATION:

UTM X 473,163.64

UTMY 4,158,943.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

PRAIRIE HEIGHTS SUBDIVISION - POOR SAMPLES **REMARKS:**

S.W.L. (AFTER CASING): 135

LOG ID: 004231

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1937/05/14

TOWNSHIP

RANGE

SECTION 26

ELEVATION:

ZONE 15

ZONE 15

1,070FT

DRILL DEPTH:

100FT

33N 22W

> **UTM X** 471,511.63

UTMY 4,156,180.15

DEPTH TO BED: S.W.L. (BEFORE CASING):

50FT

27

REMARKS:

ALL LOGGED AS "JEFFERSON CITY"

S.W.L. (AFTER CASING):

LOG ID: 005341

WELL TYPE

Private Well

DRILL DATE:

1939/02/

33N

TOWNSHIP

RANGE

SECTION 28

ELEVATION:

1,110FT

DRILL DEPTH:

111FT

22W

UTM X 468,496.59

UTMY 4,157,720.16

DEPTH TO BED:

10FT

20

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 007812

WELL TYPE

Private Well

DRILL DATE:

1942/06/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,103FT

DRILL DEPTH:

DEPTH TO BED:

310FT 71FT

33N

22W 28 UTM X

UTM Y

468.696.60

4,156,292.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

OLD WELL TO 71'; "VERY LITTLE WATER TO 310'; YIELD - "VERY

LITTLE"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006307

WELL TYPE Private Well

1940/06/ DRILL DATE:

TOWNSHIP RANGE SECTION 33N 22W 29 150FT

REMARKS:

REMARKS:

REMARKS:

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 20FT 4,157,382.15

467,278.58

ELEVATION:

ZONE 15

1,129FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 50

LOG ID: 010111

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1947/12/10 **RANGE ELEVATION:** 1,018FT

33N 22W 3 DRILL DEPTH: 65FT

UTM X **UTMY** DEPTH TO BED: 9FT 470,581.59 4,162,785.18

TOTAL DRAW-DOWN

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 13

LOG ID: 011089

WELL TYPE Private Well

DRILL DATE: 1947/07/29 **TOWNSHIP RANGE SECTION ELEVATION:** 1,025FT

33N 22W 3 **DRILL DEPTH:** 50FT

UTM X UTM Y

4 MI E, 5/8 MI N OF BOLIVAR

DEPTH TO BED: 5FT 470,181.58 4,163,595.18

ZONE 15 S.W.L. (BEFORE CASING): FT

29

S.W.L. (AFTER CASING):

LOG ID: 011116

WELL TYPE Private Well

1949/01/05 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,020FT

33N 22W 3 **DRILL DEPTH:** 250FT

UTM X UTM Y DEPTH TO BED: 5FT 471.381.59 4,163,189.18

ZONE 15

S.W.L. (BEFORE CASING): FT 4.4 MI E, 0.1 MI N OF BOLIVAR; YIELD - 14 GPM @ 185' **REMARKS**:

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011106

DRILL DEPTH:

WELL TYPE Private Well

1949/02/25 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 33N 22W 30 240FT

UTM X **UTMY** DEPTH TO BED: 10FT

465,204.55 4,157,709.16

1,106FT

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 45

1 MI E, 3.2 MI S OF BOLIVAR **REMARKS**:

LOG ID: 012373

WELL TYPE Private Well

1952/07/07 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,087FT

33N 22W 30 DRILL DEPTH: 205FT

UTM X UTMY

DEPTH TO BED: 20FT 465,304.55 4,157,613.16 ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of Aulden Coffman - 1.2 MI E, 8 MI N OF KARLIN **REMARKS**:

S.W.L. (AFTER CASING): 40

LOG ID: 012997

WELL TYPE Private Well

DRILL DATE: 1948/12/13 **TOWNSHIP RANGE SECTION ELEVATION:** 1,128FT

33N 22W 30 **DRILL DEPTH:** 185FT

UTM X **UTMY DEPTH TO BED:** 465,504.56 4,157,037.15 15FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** 1.3 MI E, 0.2 MI N OF KARLIN ON HWY 13; YIELD - 25 GPM @ 113'

S.W.L. (AFTER CASING): 54

LOG ID:

WELL TYPE

526FT

026905 Community Public Well

1971/08/18 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,108FT

DRILL DEPTH: UTM X UTM Y

22W

30

DEPTH TO BED: 465.504.56 4,157,421.16 15FT

ZONE 15 S.W.L. (BEFORE CASING): 100

33N

Gerry Seitz & Bill Matteson - 1 MI S OF BOLIVAR **REMARKS:** FΤ S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028954

WELL TYPE

Community Public Well

2004/06/00 DRILL DATE:

DRILL DEPTH: 645FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 115 **REMARKS:**

Richard Fink Development - subdivision, retirement village apartments,

SECTION

30

store and restaurant

RANGE

22W

LOG ID: 029034

WELL TYPE

Community Public Well

DRILL DATE:

2004/02/03

DRILL DEPTH:

610FT

180

TOWNSHIP RANGE 33N 22W

TOWNSHIP

33N

SECTION 31

ELEVATION:

ELEVATION:

UTM X

465,804.56

ZONE 15

ZONE 15

1,120FT

UTMY

4,156,185.15

1,110FT

UTMY

4,157,133.15

UTM X 465,574.56

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

Richard Fink Development (subdivision, retirement village apts, store &

restaurant)

33N

33N

LOG ID: 003678

WELL TYPE

Private Well

DRILL DATE:

DEPTH TO BED:

1936/06/21

DRILL DEPTH:

175FT

FT

TOWNSHIP RANGE SECTION 22W 33

UTM X

ELEVATION:

UTMY

1,128FT

468,734.60 4,155,398.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

100

REMARKS:

LOG ID:

5FT

005843

WELL TYPE

Private Well

DRILL DATE:

DEPTH TO BED:

1939/10/28

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,102FT

UTM Y

DRILL DEPTH:

230FT 25FT

86

22W 33

UTM X

469,634.61 4,155,905.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006967

DRILL DATE:

WELL TYPE Private Well

DRILL DEPTH: 85FT

DEPTH TO BED: 12FT

REMARKS:

TOWNSHIP RANGE SECTION 33N 22W

33

NO PRODUCTION OR CONSTRUCTION DATA

ELEVATION:

1,125FT

UTM X 468,434.60

UTMY 4,154,687.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008103

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1943/07/03

TOWNSHIP

RANGE

SECTION 35

ELEVATION: 1,022FT

33N 22W

UTM X UTMY

ZONE 15

472,863.65

50FT

32

131FT

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 50'-131' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

009056

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1943//

187FT

74FT

33N

TOWNSHIP

RANGE 22W

SECTION 4

ELEVATION: 1,037FT

UTM X

UTMY

4,155,786.14

468,681.56 4,164,165.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: OLD WELL DEEPENED 74-187'; 4 MI E OF BOLIVAR

LOG ID: 011115

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1949/10/21

215FT

5FT

43

TOWNSHIP

33N

RANGE

22W

SECTION

ELEVATION:

1,025FT

UTM X

UTM Y

469.881.58

4,163,559.18

ZONE 15

FT

REMARKS:

3.8 MI E, 0.5 MI N OF BOLIVAR; YIELD - 10 GPM @ 120', 14 GPM @

165-215



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010120

WELL TYPE Private Well

1948/10/21 DRILL DATE:

TOWNSHIP RANGE 33N

SECTION

ELEVATION:

ZONE 15

ZONE 15

1,108FT

DRILL DEPTH:

DEPTH TO BED:

225FT 35FT 22W 5

UTM X

UTMY

468,277.56

4,163,424.18

S.W.L. (BEFORE CASING):

FT

FT

FT

3 MI E, 0.5 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING):

115

LOG ID: 018739

WELL TYPE Private Well

DRILL DATE:

1959/07/

TOWNSHIP

SECTION RANGE

ELEVATION:

987FT

DRILL DEPTH:

140FT

20

33N 22W

UTM X

UTMY

DEPTH TO BED: 10FT 467,077.55

4,163,424.18

REMARKS:

2.25 MI E OF CENTER OF BOLIVAR; YIELD - 20 GPM @ 50'

5

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 020952

WELL TYPE Private Well

DRILL DATE:

200FT

TOWNSHIP 33N

RANGE SECTION **ELEVATION:** 1,009FT

DRILL DEPTH:

22W 5

UTM X **UTMY**

ZONE 15

467,077.55

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

38

REMARKS: formerly in name of Ric Lan Meadows

LOG ID:

S.W.L. (BEFORE CASING):

WELL TYPE Private Well

010449 **DRILL DATE:**

1948/07/10

TOWNSHIP

REMARKS:

RANGE

SECTION 6

ELEVATION:

465.807.54

996FT

4,164,040.19

DRILL DEPTH:

DEPTH TO BED:

110FT

5FT

33N 22W

> UTM X UTM Y

4,163,390.19

ZONE 15

FT

1.1 MI E, 0.4 MI N OF BOLIVAR' YIELD - 25 GPM @ 75'

S.W.L. (AFTER CASING):

17



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016964

DRILL DEPTH:

WELL TYPE Private Well

1949// DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,143FT

> 33N 22W 6 255FT

UTM X **UTMY** DEPTH TO BED: 45FT 465,907.54 4,162,905.18

ZONE 15

S.W.L. (BEFORE CASING): FT 1 MI E OF BOLIVAR ON HWY 32, RUSSELL TURKEY FARM **REMARKS**:

S.W.L. (AFTER CASING): 70

LOG ID: 010617

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1947/04/14 **RANGE ELEVATION:** 1,065FT

33N 22W DRILL DEPTH: 170FT

UTM X UTMY DEPTH TO BED: 25FT 465,859.54 4,162,060.18

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI E, 3/8 MI S OF BOLIVAR; YIELD - 20 GPM @ 110' 58

S.W.L. (AFTER CASING):

LOG ID: 012926

WELL TYPE Private Well

DRILL DATE: 1954/05/20 **TOWNSHIP RANGE SECTION ELEVATION:** 1,079FT

33N 22W 7 **DRILL DEPTH:** 255FT

FT

UTM X **UTMY**

DEPTH TO BED: 465,659.54 4,162,250.18 15FT

ZONE 15

1.5 MI E, 0.5 MI S OF BOLIVAR; YIELD - 30 GPM @ 135'

7

S.W.L. (AFTER CASING): 99

S.W.L. (BEFORE CASING):

LOG ID: 014815

WELL TYPE Private Well

1949/08/06 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,037FT

DRILL DEPTH: 145FT UTM X UTM Y DEPTH TO BED: 10FT 465.859.55 4,161,298.17

22W

ZONE 15

33N

S.W.L. (BEFORE CASING): FT formerly in name of Joe Hawkins - CLEMPITT FARM **REMARKS:**

S.W.L. (AFTER CASING): 25

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009058

DRILL DEPTH:

WELL TYPE Private Well

127FT

1943/09/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,035FT

REMARKS:

33N 22W

UTM X **UTMY** DEPTH TO BED: 10FT

2.5 MI E OF BOLIVAR

8

468,027.57 4,161,594.17

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 30

LOG ID: **WELL TYPE**

Private Well 011087

TOWNSHIP SECTION DRILL DATE: 1947/09/13 **RANGE ELEVATION:** 1,019FT

33N 22W 8 DRILL DEPTH: 150FT

UTM X UTMY DEPTH TO BED: 5FT 467,327.56 4,162,102.18

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI E, 3/8 MI S OF BOLIVAR; YIELD - 20 GPM @ 104'

S.W.L. (AFTER CASING): 31

LOG ID: 016425

WELL TYPE Private Well

DRILL DATE: 1949/07/21 **TOWNSHIP RANGE SECTION ELEVATION:** 1,041FT

33N 22W 8 **DRILL DEPTH:** 145FT

UTM X **UTMY DEPTH TO BED:** 10FT 467,427.56 4,162,204.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 22 GPM @ 85'

35 S.W.L. (AFTER CASING):

LOG ID: 019129

WELL TYPE Private Well

1958/09/06 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,045FT

33N

DRILL DEPTH: 160FT UTM X UTM Y

DEPTH TO BED: 467,327.56 4,162,408.18 25FT

22W

8

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 17 GPM @ 130' **REMARKS**:

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011109

DRILL DEPTH:

WELL TYPE Private Well

1949/06/27 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,085FT

> 33N 22W 9 180FT

UTM X **UTMY** DEPTH TO BED: 15FT

469,632.59 4,161,128.17

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 82

REMARKS: 3.8 MI E, 1.1 MI S OF BOLIVAR

LOG ID: 012040

WELL TYPE Private Well

DRILL DATE: 1950/05/22 **TOWNSHIP SECTION RANGE ELEVATION:** 1,082FT

33N 22W 9 DRILL DEPTH: 100FT

UTM X UTMY DEPTH TO BED: 32FT 4,161,332.17

469,432.58 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 3.5 MI E, 0.9 MI S OF BOLIVAR

S.W.L. (AFTER CASING): 18

LOG ID: 006951

WELL TYPE Private Well

DRILL DATE: 1938// **TOWNSHIP RANGE SECTION ELEVATION:** 1,020FT

33N 23W **DRILL DEPTH:** 50FT

REMARKS:

UTM X **UTMY**

DEPTH TO BED: 5FT 464,644.53 4,163,425.19 ZONE 15

formerly in name of Mrs. J.W. Coates - NO PRODUCTION OR

S.W.L. (BEFORE CASING):

CONSTRUCTION DATA S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Private Well 006963

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,080FT

DRILL DEPTH: 197FT UTM X UTM Y

DEPTH TO BED: 463.844.52 4,163,831.19 138FT

23W

ZONE 15 S.W.L. (BEFORE CASING):

33N

POSSIBLY OLD WELL TO 138' **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006966

WELL TYPE Private Well

1938// DRILL DATE:

TOWNSHIP 33N

SECTION

ELEVATION: 1,057FT

DRILL DEPTH:

75FT

1

UTM X **UTMY**

DEPTH TO BED: 15FT 465,144.53

4,163,527.19

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

RANGE

23W

S.W.L. (AFTER CASING):

LOG ID: 008387

WELL TYPE

Community Public Well

DRILL DATE:

1943/10/

TOWNSHIP

SECTION RANGE 1

ELEVATION: 1,046FT

ZONE 15

DRILL DEPTH:

DEPTH TO BED:

1,018FT

33N 23W

UTM X

463,858.52

UTMY 4,162,979.19

15FT

FT

FT

REMARKS: at Davis Tire Shop - 1 BLK E OF SE CORNER OF SQUARE

S.W.L. (AFTER CASING): 45

S.W.L. (BEFORE CASING):

LOG ID: 011091

WELL TYPE

Private Well

DRILL DATE:

1947/08/05

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,010FT

DRILL DEPTH:

115FT

33N 23W

UTM X **UTMY**

DEPTH TO BED:

15FT

ZONE 15

S.W.L. (BEFORE CASING):

25

REMARKS: JCT HWYS D & 64, 7/8 MI E, 0.25 MI N OF BOLIVAR

S.W.L. (AFTER CASING):

LOG ID: 012377

WELL TYPE Private Well

DRILL DATE:

1953/03/12

TOWNSHIP RANGE

SECTION

ELEVATION:

464.944.53

465,144.53

998FT

4,163,527.19

DRILL DEPTH:

DEPTH TO BED:

135FT 5FT 33N 23W

UTM X

UTM Y 4,163,323.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.3 MI N, 0.3 MI E OF JCT HWYS 64 & D IN E BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING): 44



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008678

DRILL DEPTH:

WELL TYPE Private Well

50FT

DRILL DATE: TOWNSHIP RANGE SECTION

33N 23W 10

<u>UTM X</u> <u>UTM Y</u>

1,112FT

<u>DEPTH TO BED:</u> 30FT 461,668.50 4,162,829.19

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 012039

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1952/05/07

TOWNSHIP RANGE SECTION
33N 23W 10

ELEVATION: 1,099FT

DRILL DEPTH: 175FT

<u>UTM X</u> <u>UTM Y</u>

460,869.49 4,162,829.19

ZONE 15

S.W.L. (BEFORE CASING):

FT REMARK

REMARKS: 1.9 MI W OF BOLIVAR, S SD HWY 13; YIELD 17 GPM @ 100'

S.W.L. (AFTER CASING): 35

LOG ID: 028605

DEPTH TO BED:

WELL TYPE

Community Public Well

20FT

5FT

135

20FT

<u>DRILL DATE:</u> 1983/11/03

TOWNSHIP RANGE SECTION 33N 23W 10

ELEVATION: 1,118FT

DRILL DEPTH: 1,200FT

<u>UTM X</u> <u>UTM Y</u>

461,614.50 4,162,289.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: airport well

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

001824 Community Public Well

DRILL DATE: 1912/02/00

TOWNSHIP RANGE SECTION

33N 23W 11

ELEVATION: 1,035FT

DRILL DEPTH: 1,021FT

<u>UTM X</u> <u>UTM Y</u>

463,484.52 4,162,790.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NO FORMATIONS IDENTIFIED ON LOG

S.W.L. (AFTER CASING): 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012936

DRILL DEPTH:

WELL TYPE Private Well

1954/04/06 DRILL DATE:

260FT

DEPTH TO BED: 10FT **TOWNSHIP** 33N

RANGE 23W

SECTION 11

ELEVATION:

1,088FT

UTM X 463,284.52

UTMY 4,161,362.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

FT

0.35 MI W, 1.1 MI S OF BOLIVAR; YIELD 16 GPM @ 180-260' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 024004

WELL TYPE

Community Public Well

DRILL DATE:

1966/02/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,104FT

DRILL DEPTH: DEPTH TO BED: 1,111FT

10FT

33N

23W 11

UTM X

UTMY

4,161,540.18

463,342.52 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

177 130

85

REMARKS:

at Teters Products

LOG ID:

010618

WELL TYPE Private Well

DRILL DATE:

1947/04/22

TOWNSHIP

RANGE 23W

SECTION

ELEVATION:

1,062FT

DRILL DEPTH:

120FT

33N

12

DEPTH TO BED:

30FT

UTM X 465,093.53

UTMY 4,162,729.18

S.W.L. (BEFORE CASING):

59

REMARKS: 1 MI E, 0.25 MI S OF BOLIVAR

S.W.L. (AFTER CASING):

LOG ID: 016948

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1958/01/04

120FT

15FT

38

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,048FT

33N

23W 12

UTM X

UTM Y 4,162,327.18

464.693.53

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026769

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,080FT

> 33N 23W 12 200FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 35FT

464,693.53 4,161,319.18

ZONE 15

S.W.L. (BEFORE CASING):

NO SAMPLES RUN - TOPS ONLY **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 010198

WELL TYPE Private Well

DRILL DATE: 1948/03/30 **TOWNSHIP SECTION RANGE ELEVATION:** 1,080FT

33N 23W 13 DRILL DEPTH: 160FT

UTM X UTMY DEPTH TO BED: 20FT 464,544.53 4,161,028.17

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** formerly in name of Mary E. Harris - 0.6 MI E., 1 MI S OF BOLIVAR;

YIELD - 25 GPM @ 130' S.W.L. (AFTER CASING): 30

LOG ID: 012952

WELL TYPE Private Well

DRILL DATE: 1950/06/23 **TOWNSHIP RANGE SECTION ELEVATION:** 1,084FT

33N 23W 13 **DRILL DEPTH:** 130FT

UTM X UTM Y

DEPTH TO BED: 25FT 464,244.53 4,161,130.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1.2 MI S, 0.1 MI E OF BOLIVAR

32 S.W.L. (AFTER CASING):

LOG ID: 009638

WELL TYPE Private Well

1946/10/07 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,123FT

33N 23W 14 **DRILL DEPTH:** 150FT

UTM X UTM Y DEPTH TO BED: 30FT 462.929.52 4,160,663.17

ZONE 15

S.W.L. (BEFORE CASING): FT 1.25 MI S, 3/8 MI W OF BOLIVAR COURT HS'; YIELD-7 GPM @ 100', **REMARKS:**

9 @ 130' S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009927

WELL TYPE Private Well

DRILL DATE: 1946/12/05 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,118FT

<u>DRILL DEPTH:</u> 130FT 33N 23W 14

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 463,429.52 4,160,765.17

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#9927) DEEPENED (#12382) 80-130' (1953); 1.5 MI S, 1/4

MI W

LOG ID: 012382

WELL TYPE Private Well 50

DRILL DATE: 1952/09/02 TOWNSHIP RANGE SECTION ELEVATION: 1,118FT

DRILL DEPTH: 130FT 33N 23W 14

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 463,229.52 4,160,765.17

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPENED - SEE LOG #9927

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

LOG ID: 012954 WELL TYPE Private Well

DRILL DATE: 1950/12/04 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,109FT

<u>DRILL DEPTH:</u> 127FT 33N 23W 14

UTM X UTM Y

<u>DEPTH TO BED:</u> 20FT 463,229.52 4,160,971.18

S.W.L. (BEFORE CASING): FT PEMARKS A A MUNICIPAL DE DOUBLES

REMARKS: 1.4 MI S, 0.4 MI W OF BOLIVAR

S.W.L. (AFTER CASING): 55

LOG ID: 012958

WELL TYPE Private Well

<u>DRILL DATE:</u> 1954/02/06 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,107FT

DRILL DEPTH: 213FT 33N 23W 15

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 461,613.50 4,160,406.17

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.9 MI W, 1.7 MI S OF BOLIVAR; YIELD 10-10.5 GPM @ 145'

S.W.L. (AFTER CASING): 64



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012989

WELL TYPE Private Well

1954/11/09 DRILL DATE:

FT

RANGE SECTION 23W

ELEVATION:

1,077FT

DRILL DEPTH:

150FT

16

UTM X 459,009.48

UTMY 4,161,257.18

DEPTH TO BED:

10FT

40

3 MI W, 1.2 MI S OF BOLIVAR **REMARKS**:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

009216

LOG ID:

DRILL DATE:

1944/10/

TOWNSHIP

TOWNSHIP

33N

SECTION RANGE

ELEVATION:

1,055FT

DRILL DEPTH:

95FT

25

33N 23W 17

UTM X

UTMY

DEPTH TO BED:

457,600.46 4,161,310.18 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT REMARKS:

5 MI SW OF BOLIVAR

LOG ID: 009752

WELL TYPE Private Well

DRILL DATE:

1946/11/16

TOWNSHIP RANGE

SECTION

ELEVATION: 1,075FT

DRILL DEPTH:

195FT

118FT

33N 23W 17

DEPTH TO BED:

50

UTM X **UTMY** 457,400.46 4,160,702.18

ZONE 15

70 FT

FT

REMARKS:

OLD WELL DEEPENED 118-195'

LOG ID:

016394

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

1949/08/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

456.969.45

1,008FT

DRILL DEPTH:

230FT

33N 23W 18

UTM X

UTM Y 4,160,351.18

DEPTH TO BED:

10FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

35

FT

YIELD - 9 GPM @ 125', 20 GPM @ 170' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016731

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1950/11/21 TOWNSHIP RANGE SECTION ELEVATION:

120FT 33N 23W 18

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 69FT 455,569.44 4,161,381.19

ZONE 15

1,055FT

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 69' - PLUGGED 100-120'

S.W.L. (AFTER CASING): 56

LOG ID: 000499

WELL TYPE Unknown Well

DRILL DATE: 1912/02/27 TOWNSHIP RANGE SECTION ELEVATION: 1,073FT

DRILL DEPTH: 718FT 33N 23W 2

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 75FT 462,827.51 4,163,676.19

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "COULD NOT FIND"; NO SAMPLES RUN EXCEPT FOR GUNTER

S.W.L. (AFTER CASING):

LOG ID: 011703

WELL TYPE

Community Public Well

<u>DRILL DATE:</u> 1951/10/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,075FT

<u>DRILL DEPTH:</u> 1,058FT 33N 23W 2

UTM X UTM Y

<u>DEPTH TO BED:</u> 35FT 463,550.52 4,163,257.19 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: North Ward Street - ACROSS ST FROM 1ST BAPTIST CHURCH

S.W.L. (AFTER CASING): 89

LOG ID: 008679

WELL TYPE
Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,130FT

DRILL DEPTH: 200FT UTM X UTM Y

23W

22

<u>DEPTH TO BED:</u> 461,158.50 4,158,387.16

S.W.L. (BEFORE CASING):

33N

S.W.L. (AFTER CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026770

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1969/04/ TOWNSHIP RANGE

33N 23W 23

SECTION

ELEVATION: 1,142FT

DRILL DEPTH: 135FT

<u>UTM X</u> <u>UTM Y</u> 462,778.52 4,158,955.17

ZONE 15

S.W.L. (BEFORE CASING):

20FT

15FT

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 009055

DEPTH TO BED:

WELL TYPE
Private Well

DRILL DATE: 1945//

TOWNSHIP

RANGE SECTION

ELEVATION: 1,095FT

DRILL DEPTH: 245FT

33N 23W 24

UTM X UTM Y

ZONE 15

4,159,513.17

464,394.54

S.W.L. (BEFORE CASING):

REMARKS: 2 MI S OF BOLIVAR; SAMPLES MAYBE POOR

S.W.L. (AFTER CASING):

LOG ID: 011095

DEPTH TO BED:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/06/27

TOWNSHIP RANGE SECTION
33N 23W 24

ELEVATION: 1,090FT

DRILL DEPTH: 200FT

2011 2011 24

<u>UTM X</u> <u>UTM Y</u> 464,994.55 4,158,501.16

S.W.L. (BEFORE CASING): FT BEMARKS (A.B. C. J. N.C. CAMPLES C.

ZONE 15

40

150FT

REMARKS: formerly in name of A.B. Conrad - NO SAMPLES 0-150'

S.W.L. (AFTER CASING):

LOG ID: 018740

WELL TYPE Private Well

<u>DRILL DATE:</u> 1959/07/

TOWNSHIP RANGE SECTION 23W 24

ELEVATION: 1,108FT

DRILL DEPTH: 80FT
DEPTH TO BED: 20FT

UTM X UTM Y

464,594.54 4,158,501.16

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI S OF CENTER OF BOLIVAR ON HWY 13

S.W.L. (AFTER CASING): 9



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002084

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

1921// DRILL DATE:

1,833FT

110FT

TOWNSHIP 33N

RANGE 23W

SECTION 25

ELEVATION:

1,140FT

UTMY

UTM X

463,738.54 4,156,483.15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "DRY OIL TEST

33N

S.W.L. (AFTER CASING):

LOG ID: 012990

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1953/08/26

TOWNSHIP

RANGE

23W

SECTION 25

ELEVATION: 1,132FT

UTM X **UTMY** 4,156,483.15

464,938.55 ZONE 15

DEPTH TO BED:

60FT

125FT

REMARKS:

REMARKS:

OLD WELL TO 44'; 1 MI E OF KARLIN, N SIDE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 014281

WELL TYPE Private Well

DRILL DATE:

1955//

600FT

20FT

33N

TOWNSHIP

RANGE 23W

SECTION

ELEVATION:

1,192FT

DRILL DEPTH: DEPTH TO BED:

25

NO PRODUCTION OR CONSTRUCTION DATA

UTM X

UTMY

463,938.54 4,156,891.15 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016589

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/07/17

235FT

150FT

TOWNSHIP 33N

RANGE 23W

SECTION 26

ELEVATION:

1,164FT

462,523.52

UTM X

UTM Y 4,156,534.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL TO 150'

S.W.L. (AFTER CASING):

120

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020959

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1961/05/12 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,125FT

245FT 33N 23W 26

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 170FT 462,523.52 4,156,940.16

02,020.02 4,10

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING). REMARKS: NO SAMPLES 0-170'

S.W.L. (AFTER CASING): 80

LOG ID: 006955

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1941/

1941//

TOWNSHIP RANGE SECTION 33N 23W 29

ELEVATION: 1,100FT

DRILL DEPTH: 275FT

UTM X

<u>UTM Y</u>

4,157,684.16

457,588.46

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 026786

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,062FT

DRILL DEPTH: 250FT 33N 23W 3

UTM X UTM Y

<u>DEPTH TO BED:</u> 15FT 461,926.50 4,164,425.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

23W

30

LOG ID:

007515

WELL TYPE Private Well

<u>DRILL DATE:</u> 1938// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,082FT

DRILL DEPTH: 210FT 33N

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 70FT 456,244.45 4,157,326.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; SEE ALSO LOG

#26755



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026755

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,084FT

DRILL DEPTH: 300FT 33N 23W 30

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 200FT 456,244.45 4,157,326.16

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: MAY BE WELL #7515 DEEPENED (C.L. BONHAM)

S.W.L. (AFTER CASING):

LOG ID: 007863

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,043FT

DRILL DEPTH: 120FT 33N 23W 33

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 84FT 460,044.49 4,155,417.15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 84'; 4.5 MI SW OF BOLIVAR

S.W.L. (AFTER CASING): 37

LOG ID: 006954

WELL TYPE Private Well

<u>DRILL DATE:</u> 1939// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,182FT

DRILL DEPTH: 350FT 33N 23W 35

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 85FT 462,465.53 4,154,922.14 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 237', DEEPENED 1949 (#16411); OLD MATT

33N

S.W.L. (AFTER CASING): 155 FRANCKA FARM

LOG ID: 016411

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1939// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,182FT

DRILL DEPTH: 350FT S5N 25N 55 UTM X UTM Y

<u>DEPTH TO BED:</u> 85FT 462,465.53 4,154,922.14 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED - SEE LOG #6954 - Old Matt Francka Farm

23W

35

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010743

WELL TYPE Private Well

1949/04/ DRILL DATE:

317FT

DRILL DEPTH:

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 33N 36

23W

ABT 1 MI SE OF KARLIN CHURCH

ELEVATION:

1,140FT

UTM X 464,881.55

UTMY 4,155,687.15

ZONE 15

LOG ID: 009572

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1946/09/06

30FT

REMARKS:

TOWNSHIP 33N

SECTION RANGE

ELEVATION: 1,138FT

250FT

FT

FT

23W 4

RANGE

23W

3 MI W OF BOLIVAR, N SD HWY 13

UTM X UTMY

459,731.48 4,163,678.19 ZONE 15

S.W.L. (BEFORE CASING):

FT

82

2.5 MI W OF BOLIVAR REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011198

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1948/10/19

110FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008117

WELL TYPE Private Well

DRILL DATE:

1942/12/18

DRILL DEPTH:

DEPTH TO BED:

114FT

15FT

60

TOWNSHIP 33N

TOWNSHIP

33N

REMARKS:

RANGE 23W

SECTION 6

SECTION

4

ELEVATION:

ELEVATION:

UTM X

459,131.48

1,095FT

UTM Y

1,121FT

UTMY

4,163,080.19

UTM X

456.897.45 4,164,192.20

ZONE 15

ZONE 15

4 MI W OF BOLIVAR

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

31

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010202

WELL TYPE Private Well

DRILL DATE: 1948/05/22

<u>TOWNSHIP</u> 33N RANGE SECTION

ELEVATION: 1,1

ZONE 15

1,103FT

DRILL DEPTH:

195FT

23W

<u>UTM X</u> 457,030.46

<u>UTM Y</u> 4,162,163.19

DEPTH TO BED: 15FT

FT

NO. VIELD 47 ODM @ 405L

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

80

REMARKS: YIELD - 17 GPM @ 165'

LOG ID:

WELL TYPE

028623

Noncommunity Public Well

DRILL DATE:

1981/03/16

TOWNSHIP

RANGE SECTION

7

ELEVATION: 1,070FT

DRILL DEPTH:

1,200FT

33N 23W

UTM X

DEPTH TO BED: 5FT

456,330.45

<u>UTM Y</u> 4,162,267.19

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 027450

WELL TYPE Private Well

1 HVate vven

TOWNSHIP RANGE

<u>SECTION</u>

ELEVATION: 1,112FT

DRILL DATE:

DRILL DEPTH:

80FT

1973/07/05

33N 23W 9

UTM X UTM Y

DEPTH TO BED:

10FT

459,667.48 4,161,460.18

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 012959

WELL TYPE
Private Well

DRILL DATE:

1954/03/18

TOWNSHIP

RANGE SECTION

ELEVATION:

1,084FT

DRILL DEPTH:

175FT

35FT

33N

24W 1

UTM X

UTM Y

FT

454,380.43

4,163,710.21

ZONE 15

REMARKS:

3.2 MI E, 0.7 MI S OF FAIR PLAY ON HWY 13, S SIDE; YD - 10 GPM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

DEPTH TO BED:

47



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012224

WELL TYPE Private Well

1954/09/24 DRILL DATE: **TOWNSHIP RANGE**

> 33N 24W

SECTION 13

ELEVATION:

1,018FT

DRILL DEPTH: 185FT DEPTH TO BED:

UTM X

UTMY 4,160,618.19

454,736.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

3.1 MI E, 2.3 MI S OF FAIRPLAY **REMARKS**:

S.W.L. (AFTER CASING):

5FT

44

LOG ID: 012228

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1952/10/29 **TOWNSHIP**

REMARKS:

RANGE

SECTION

ELEVATION: 1,042FT

DRILL DEPTH: 270FT 24W 13

UTM X UTMY 4,160,674.19

455,065.43 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

3.6 MI E, 2.6 MI S OF FAIR PLAY; YIELD - 7 GPM @ 100', 20 GPM @

150-TD

33N

LOG ID: 014792

WELL TYPE Private Well

DRILL DATE: 1955/07/16

TOWNSHIP RANGE 33N

SECTION

ELEVATION:

445,690.33

970FT

DRILL DEPTH:

200FT

10FT

80

24W 19

YIELD - 15 GPM @ 160'

UTM X

ZONE 15

UTMY 4,159,363.26

DEPTH TO BED:

5FT

110

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

010620 **DRILL DATE:**

1947/05/14

TOWNSHIP 33N

SECTION RANGE

ELEVATION:

1,056FT

DRILL DEPTH:

DEPTH TO BED:

135FT 80FT 24W 2

UTM X

UTM Y 4,164,300.22

452.832.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

1 5/8 MI E OF JCT HWYS 13 & 123 **REMARKS**:

S.W.L. (AFTER CASING):

40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016588

WELL TYPE Private Well

1953/07/08 DRILL DATE:

FT

RANGE SECTION 24W 23

ELEVATION: 1,050FT

DRILL DEPTH: 260FT

UTM X

UTMY 4,159,262.19

453,456.42 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

115FT

90

MOSTLY SKIPPED INTERVALS 115-195' **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 013467

WELL TYPE Private Well

DRILL DATE:

1955/02/09

TOWNSHIP

TOWNSHIP

33N

RANGE

SECTION ELEVATION: 962FT

DRILL DEPTH:

325FT

89

33N 24W 28

UTM X

DEPTH TO BED: 40FT **UTMY**

448,967.36 4,157,134.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS:**

ORIGINAL LOG #13467, RELOGGED AS #13531 - SOME SAMPLES

SKIPPED ON #13467and FILED UNDER #13531

LOG ID: 013531

WELL TYPE Private Well

DRILL DATE: 1955/02/09

TOWNSHIP RANGE SECTION 33N

ELEVATION: 962FT

DRILL DEPTH:

325FT

24W 28

> UTM X **UTMY**

DEPTH TO BED: 40FT

448,967.36 4,157,134.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

ORIGINAL LOG #13467, RELOGGED AS #13531

89

LOG ID:

WELL TYPE Private Well

016753 **DRILL DATE:**

1953/05/25

TOWNSHIP RANGE SECTION **ELEVATION:**

960FT

DRILL DEPTH:

DEPTH TO BED:

275FT

33N

24W 31

35FT

UTM X UTM Y 446,244.33 4,156,663.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015412

DRILL DEPTH:

WELL TYPE Private Well

300FT

1956/08/03 DRILL DATE: **TOWNSHIP RANGE SECTION**

33N 24W 33

UTM X

UTMY DEPTH TO BED: 10FT 449,231.36 4,155,684.21

ZONE 15

982FT

ELEVATION:

S.W.L. (BEFORE CASING): FT 1 MI W OF ALDRICH, 0.5 MI W OF SAC RIVER BRIDGE **REMARKS**:

S.W.L. (AFTER CASING): 135

LOG ID: 010428

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1948/07/03 **RANGE ELEVATION:** 894FT

33N 24W 34 DRILL DEPTH: 95FT

UTM X **UTMY** DEPTH TO BED: 25FT 451,115.39 4,155,681.19

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: MAIN ST, ALDRICH

S.W.L. (AFTER CASING): 8

LOG ID: 012364

WELL TYPE Private Well

DRILL DATE: 1952/10/29 **TOWNSHIP RANGE SECTION ELEVATION:** 966FT

33N 24W 34 **DRILL DEPTH:** 200FT

UTM X **UTMY**

DEPTH TO BED: 10FT 451,244.39 4,155,964.19 ZONE 15

IN ALDRICH ON HWY 123

24W

34

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 84

LOG ID: 012381

WELL TYPE Private Well

1953/02/27 **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 896FT

DRILL DEPTH: 45FT UTM X UTM Y

DEPTH TO BED: 20FT 450.992.38 4,155,513.20 ZONE 15

S.W.L. (BEFORE CASING): FT

33N

REMARKS: IN SW PART OF ALDRICH 12 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014823

WELL TYPE Private Well

1955/06/06 DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 33N

SECTION

ELEVATION:

891FT

DRILL DEPTH:

80FT

24W 34

RANGE

UTM X

UTMY 4,155,717.20

450,895.38 ZONE 15

DEPTH TO BED:

20FT

12

FT

FT

REMARKS: formerly in name of Lucy Dickerson

LOG ID: 016058

WELL TYPE Private Well

DRILL DATE:

1956/08/28

TOWNSHIP

RANGE

SECTION 34

ELEVATION:

906FT

DRILL DEPTH:

190FT

33N 24W

UTM X

UTMY 4,155,379.19

DEPTH TO BED:

5FT

23

450,967.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: YIELD - 15 GPM @ 120'

LOG ID: 016063

WELL TYPE Private Well

DRILL DATE:

1957/03/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

898FT

DRILL DEPTH:

178FT

33N 24W 34

UTM X

UTM Y

DEPTH TO BED:

15FT

450,747.38 4,155,281.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

12

FT

REMARKS:

"FLOWED WHILE DRILLING" AT 175'

LOG ID:

WELL TYPE Private Well

016413

DRILL DATE:

1957/07/20

TOWNSHIP

RANGE

SECTION

ELEVATION:

966FT

DRILL DEPTH:

33N

34

DEPTH TO BED:

285FT 5FT

24W

UTM X

UTM Y

451.244.39 4,156,010.20 ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

93

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016636

DEPTH TO BED:

WELL TYPE Private Well

108FT

32

5FT

9

1950/09/21 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 33N 24W 34

ELEVATION:

945FT

UTMY

DRILL DEPTH: 170FT

UTM X

451,515.39 4,155,883.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

OLD WELL TO 108'; IN ALDRICH; YIELD - 1.5 GPM @ 100', 3 GPM @ **REMARKS**:

170'

LOG ID: 016736

WELL TYPE Private Well

DRILL DATE: 1957/08/03

TOWNSHIP SECTION RANGE 33N 24W 34

ELEVATION:

900FT

DRILL DEPTH: 155FT

UTM X UTMY

451,115.39 4,155,275.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 30 GPM @ 90' REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016970

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1949//

TOWNSHIP RANGE SECTION 33N 24W 34

895FT

DRILL DEPTH: 110FT

UTM X **UTMY**

ELEVATION:

DEPTH TO BED: 20FT 451,315.39 4,155,477.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 5 GPM @ 50', 7-8 GPM @ 100'

S.W.L. (AFTER CASING):

LOG ID: 020978

WELL TYPE Private Well

DRILL DATE:

1961/10/03

TOWNSHIP RANGE SECTION 33N

24W 34 **ELEVATION:** 887FT

DRILL DEPTH:

DEPTH TO BED:

190FT 15FT

8

UTM X UTM Y

450.640.38 4,155,560.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

ALDRICH; YIELD - 15 GPM @ 90' **REMARKS:**

S.W.L. (AFTER CASING): 8



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025792

DRILL DEPTH:

WELL TYPE Private Well

1967/06/19 DRILL DATE:

215FT

DEPTH TO BED: 120FT

TOWNSHIP RANGE SECTION 33N

24W 34 **ELEVATION:**

982FT

UTM X 451,236.39

UTMY 4,155,992.20

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: NO SAMPLES RUN, TOPS ONLY

LOG ID: 013663

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1955/04/23

39

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,020FT

130FT

10FT

33N

24W 4

UTM X

UTMY

449,792.38

4,164,604.25

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

200 YDS SSW OF JCT HWYS 23 & 64

LOG ID:

014822

WELL TYPE Private Well

DRILL DATE:

1955/06/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

994FT

DRILL DEPTH:

240FT

FT

24W

6

UTM X

446,093.34

UTMY

4,163,443.27

DEPTH TO BED:

175FT

33N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

110

REMARKS: TOTAL DRAW-DOWN

LOG ID:

WELL TYPE Private Well

016975

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1950/05/02

330FT

5FT

32

TOWNSHIP 34N

RANGE 21W

SECTION

ELEVATION:

1,025FT

UTM X 483.950.61

UTM Y 4,172,061.24

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LONG 1 X 2 MI SEC.; 4.1 MI E, 0.25 MI S OF GOODSON; YIELD-4

GPM @ 120'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011094

WELL TYPE Private Well

1947/08/11 DRILL DATE:

TOWNSHIP RANGE 34N 21W

ELEVATION:

948FT

DRILL DEPTH:

80FT

10

SECTION

UTM X **UTMY**

DEPTH TO BED:

5FT

12

480,252.60

4,171,811.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID:

WELL TYPE

013084

Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

1,111FT

DRILL DEPTH:

650FT

34N 21W

> UTM X 476,478.59

> > ZONE 15

ZONE 15

UTMY 4,169,924.20

DEPTH TO BED:

500FT

120

REMARKS:

OLD WELL DEEPENED 565-650'; DEEPENED LOG #13264

18

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 013264

Private Well

DRILL DATE:

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

1,111FT

DRILL DEPTH:

650FT

21W 18

UTM X 476,478.59

UTM Y 4,169,924.20

DEPTH TO BED:

500FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 009213

WELL TYPE Private Well

DRILL DATE:

1943/07/

TOWNSHIP

SECTION RANGE

OLD WELL DEEPENED - SEE LOG #13084

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

95FT

15FT

34N

21W

2

UTM X UTM Y

482.333.59 4,173,632.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

LONG 1 X 2 MI SECTION; 2.5 MI E OF HURON



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016086

WELL TYPE Private Well

1955/08/13 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 987FT

34N 21W 2 **DRILL DEPTH:** 145FT

UTM X UTMY DEPTH TO BED: 5FT 481,933.59 4,173,120.23

ZONE 15

S.W.L. (BEFORE CASING): FT LONG 1 X 2 MI SEC; YIELD - 8-10 GPM @ 130', 14 GPM @ 145' **REMARKS**:

S.W.L. (AFTER CASING): 45

LOG ID: 014789

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1955/12/26 **RANGE ELEVATION:** 987FT

34N 21W DRILL DEPTH: 330FT

UTM X UTMY DEPTH TO BED: 15FT 480,515.57 4,175,189.23

3

32

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** NW LOT 7, 1 X 2 MI SECTION; NW CORNER OF LONA, 2100' S,

S.W.L. (AFTER CASING): 37 1250' E OF NWC

LOG ID: 010117

WELL TYPE Private Well

DRILL DATE: 1948/03/20 **TOWNSHIP RANGE SECTION ELEVATION:** 1,072FT

34N 21W 32 **DRILL DEPTH:** 150FT

UTM X **UTMY**

DEPTH TO BED: 5FT 477,691.64 4,164,675.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 55

LOG ID: 014821

WELL TYPE Private Well

1949/11/07 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,054FT

34N 21W DRILL DEPTH: 260FT

UTM X DEPTH TO BED: 477.891.64 4,164,879.18 15FT

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT IN HALFWAY; YIELD - 7-8 GPM @ 120'; NO SAMPLES RUN 200-260' **REMARKS:**

S.W.L. (AFTER CASING): 46



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008115

DRILL DEPTH:

WELL TYPE Private Well

1942// DRILL DATE:

165FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 34N 21W 4

ELEVATION:

968FT

UTM X 478,909.58

UTMY 4,173,214.22

ZONE 15

NO PRODUCTION OR CONSTRUCTION DATA; 1 MI E OF **REMARKS**:

GOODSON

LOG ID: 012945

WELL TYPE Private Well

DRILL DATE:

1954/07/08

TOWNSHIP

TOWNSHIP

34N

RANGE 21W

SECTION

SECTION

5

LONG 1 X 2 MI SECTION; W SIDE OF MAIN ST, GOODSON

ELEVATION:

1,003FT

UTMY

1,044FT

UTMY

4,173,270.21

DRILL DEPTH: DEPTH TO BED: 320FT 15FT

20

34N

5

UTM X

477,719.57 4,173,766.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

formerly in name of Robert Keith - LONG 1 X 2 MI SECTION; O.45 MI

E, 0.7 MI N OF GOODSON

RANGE

21W

LOG ID: 012994

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1948/11/30

65FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

30 S.W.L. (AFTER CASING):

LOG ID: 008680

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: DEPTH TO BED:

95FT

290FT

TOWNSHIP 34N

SECTION RANGE 21W

6

ELEVATION:

ELEVATION:

UTM X

477,719.58

1,063FT

UTM X UTM Y 475.802.56

4,173,837.22

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012367

WELL TYPE Private Well

1953/04/02 DRILL DATE:

TOWNSHIP 34N

RANGE SECTION 21W

ELEVATION:

1,109FT

DRILL DEPTH:

105FT

UTM X

UTMY

DEPTH TO BED:

5FT

15

476,125.58 4,171,355.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

0.8 MI W, 1 MI S OF GOODSON **REMARKS**:

LOG ID:

012947

WELL TYPE Private Well

DRILL DATE:

1954/07/24

TOWNSHIP

SECTION RANGE 7

ELEVATION: 1,098FT

DRILL DEPTH:

170FT

34N 21W

UTM X

DEPTH TO BED:

25FT

18

UTMY 476,525.59 4,170,981.21

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 0.6 MI W, 1.2 MI S OF GOODSON

LOG ID:

008675

WELL TYPE Private Well

DRILL DATE:

104FT

TOWNSHIP RANGE SECTION 34N 22W

ELEVATION: 1,019FT

ZONE 15

UTM X

474,071.55

DRILL DEPTH:

LONG 1 X 2+ MI SECTION; IN POLK

UTMY

4,174,865.23

DEPTH TO BED:

18FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012029

Private Well

DRILL DATE:

1952/04/23

TOWNSHIP RANGE 34N

SECTION

ELEVATION: 1,033FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

195FT 15FT 22W

UTM X UTM Y

474.071.54

4,175,843.23

ZONE 15

25

FT

REMARKS:

REMARKS:

1ST HOUSE N OF CEMETARY, E SIDE HWY D IN POLK; LONG 1 X 2

MI SECTION



RANGE

RANGE

RANGE

22W

22W

22W

SECTION

1

formerly in name of Polk Consolidated School District #1 - LONG 1 X 2+ MI SECTION: 30 YDS NE OF OLD SCHOOL BLDG ON POLK QUAD.

TOWNSHIP

34N

TOWNSHIP

TOWNSHIP

34N

34N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

474,071.55

ELEVATION:

UTM X

474,071.54

ELEVATION:

UTM X

471,194.55

ZONE 15

ZONE 15

ZONE 15

1,026FT

UTMY

4,174,377.22

1,043FT

UTMY

4,175,843.23

1,133FT

UTMY

4,170,720.21

LOG ID: 012326

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1953//

355FT

15FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 29

WELL TYPE

020954

LOG ID:

Private Well

DRILL DATE: DRILL DEPTH: 1960/08/26

1,043FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

REMARKS:

REMARKS:

LONG 1 X 2.47 MI SECTION; IN TOWN OF POLK

SECTION

1

SECTION

10

OLD WELL TO 41', WATER UNSAFE FOR DRINKING; 4.6 MI E, 5 MI N

S.W.L. (AFTER CASING): 45

LOG ID: 010201

DRILL DATE:

WELL TYPE Private Well

1947/12/22

DRILL DEPTH: 210FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

162

LOG ID:

009217

DRILL DATE:

1943/04/

DRILL DEPTH:

135FT

30

DEPTH TO BED: 67FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

> **TOWNSHIP** 34N

OF BOLIVAR

RANGE 22W

SECTION

14

UTM X 472.736.57

ELEVATION:

UTM Y 4,169,046.20

ZONE 15

4 MI N OF BOLIVAR **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012035

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1951/04/25 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,096FT

250FT 34N 22W 14

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 472,736.57 4,169,046.20

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.55 MI E OF VIOLET; YIELD - 5 GPM @ 140', 20 GPM @ 225'

S.W.L. (AFTER CASING): 120

LOG ID: 016976

WELL TYPE
Private Well

DRILL DATE: 1957/10/31 TOWNSHIP RANGE SECTION ELEVATION: 1,140FT

DRILL DEPTH: 275FT 34N 22W 14

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 471,936.56 4,169,660.21

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 10 GPM @ 200', 175 GPM @ 225-275'

S.W.L. (AFTER CASING): 150

LOG ID: 010113

WELL TYPE Private Well

DRILL DATE: 1948/04/26 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 976FT

DRILL DEPTH: 225FT 34N 22W 17

UTM X UTM Y

<u>DEPTH TO BED:</u> 125FT 467,499.53 4,170,656.22

S.W.L. (BEFORE CASING): FT PEMARKS OF B.W.E.L. TO 4051

REMARKS: OLD WELL TO 125'

S.W.L. (AFTER CASING): 97

LOG ID: 026772

WELL TYPE Private Well

DRILL DATE: 1969/07/ <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 956FT

DRILL DEPTH: 300FT 34N 22W 18

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 466,904.53 4,170,122.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010123

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1948/03/05 DRILL DATE:

150FT

12FT

TOWNSHIP 34N

RANGE 22W

SECTION 19

ELEVATION:

UTM X 466,855.53

UTMY 4,167,928.21

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

formerly in name of Joe G. McColm & John Burks - see also log #12380

S.W.L. (AFTER CASING):

LOG ID: 012363

WELL TYPE Private Well

DRILL DATE:

1952/07/05

TOWNSHIP

RANGE

1.3 MI E, 3.2 MI N OF BOLIVAR

SECTION 19

ELEVATION:

959FT

DRILL DEPTH: DEPTH TO BED: 90FT

34N 22W

> **UTM X** 465,655.52

UTMY 4,167,928.21

20FT

FT

S.W.L. (AFTER CASING): 26

S.W.L. (BEFORE CASING):

LOG ID: 004324

WELL TYPE Private Well

DRILL DATE:

1937//

DRILL DEPTH:

DEPTH TO BED:

190FT

35FT

TOWNSHIP 34N

RANGE 22W

SECTION

ELEVATION: 1,031FT

ZONE 15

2

UTM X

UTMY 4,174,436.23

473,093.54 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

BOLIVAR

LONG 1 X 2 MI SEC.; 0.25 MI FROM POLKTOWN ON TOWARD

S.W.L. (AFTER CASING):

LOG ID: 010621

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1947/05/22

125FT

20FT

TOWNSHIP 34N

RANGE 22W

SECTION 2

ELEVATION:

1,011FT

UTM X

UTM Y

473,093.54 4,174,936.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LONG 1 X 2+ MI SEC.; 0.25 MI S OF POLK

18



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016424

DEPTH TO BED:

WELL TYPE Private Well

25FT

1950/07/ DRILL DATE: **TOWNSHIP RANGE SECTION**

> 34N 22W 2

ELEVATION:

1,060FT

DRILL DEPTH: 180FT

UTM X 472,693.55

UTMY 4,173,434.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG 1 X 2+ MI SECTION, 2300' E, 5500 N OF SW CORNER SEC. 2 **REMARKS**:

S.W.L. (AFTER CASING): 60

LOG ID: 021584

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP SECTION RANGE

ELEVATION: 1,044FT

DRILL DEPTH: 420FT 34N 22W 2

UTM X UTMY

ZONE 15

4,175,936.23

473,093.53

DEPTH TO BED: 330FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: LONG 1 X 2+ MI SECTION; IN TOWN OF POLK; NO PRODUCTION

SECTION

OR CONSTR. DATA

LOG ID: 007510

WELL TYPE

Private Well

DRILL DATE: 1941/11/ **TOWNSHIP RANGE**

34N

ELEVATION: 1,063FT

DRILL DEPTH:

170FT

22W 20

> UTM X **UTMY**

DEPTH TO BED: 100FT 468,341.54 4,168,956.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

REMARKS:

LOG ID:

WELL TYPE Private Well

011184

1948/11/23

RANGE SECTION TOWNSHIP

ELEVATION:

UTM X

DRILL DATE: DRILL DEPTH:

130FT 20FT 34N 22W

DEPTH TO BED:

20

467,641.54 4,168,043.21

977FT

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

2.3 MI E, 2.9 MI N OF BOLIVER **REMARKS**:

S.W.L. (AFTER CASING): 80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012970

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1949/11/30 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 992FT

220FT 34N 22W 20

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 115FT 467,641.54 4,167,637.20

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 115'; 2.15 MI E, 2.9 MI N OF BOLIVAR

S.W.L. (AFTER CASING): 60

LOG ID: 013661

WELL TYPE Private Well

DRILL DATE: 1954/09/ <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 930FT

DRILL DEPTH: 130FT 34N 22W 20

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 467,841.54 4,168,043.21

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 20

LOG ID: 011104

WELL TYPE Private Well

<u>DRILL DATE:</u> 1949/07/22 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 974FT

DRILL DEPTH: 175FT 34N 22W 21

REMARKS:

FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 469,455.55 4,168,581.21

ZONE 15

MAY BE 10-FT SAMPLES; 3.4 MI E, 3.4 MI N OF BOLIVAR

S.W.L. (AFTER CASING): 31

S.W.L. (BEFORE CASING):

LOG ID: 012019

WELL TYPE Private Well

<u>DRILL DATE:</u> 1951/06/18 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,099FT

DRILL DEPTH: 160FT 34N 22W 22

DEPTH TO BED: 100. TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TO

<u>DEPTH TO BED:</u> 50FT 471,661.57 4,168,714.20

ZONE 15

S.W.L. (BEFORE CASING): FT PENAPYO OF A SERVICE FT

S.W.L. (AFTER CASING): REMARKS: 0.175 MI S OF VIOLET S.W.L. (AFTER CASING): 100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012376

WELL TYPE Private Well

DRILL DATE: 1953/01/05 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,024FT

DRILL DEPTH: 190FT 34N 22W 22

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 10FT 470,661.56 4,168,310.20

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI S, 0.6 MI W OF VIOLET; YIELD - 20 GPM @ 90', 25 GPM @

105-TD

LOG ID: 012379

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1953/03/21 TOWNSHIP RANGE SECTION ELEVATION: 1,025FT

DRILL DEPTH: 180FT 34N 22W 22

<u>UTM X</u> <u>UTM Y</u>
DEPTH TO BED: 471 061 56 4 168 310 20

<u>DEPTH TO BED:</u> 10FT 471,061.56 4,168,310.20 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI S, 0.5 MI W OF VIOLET; YIELD - 20 GPM @ 90', 25 GPM @

S.W.L. (AFTER CASING): 45 105-180'

45

LOG ID: 012368

WELL TYPE Private Well

<u>DRILL DATE:</u> 1953/05/08 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,064FT

DRILL DEPTH: 205FT 34N 22W 23

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 472,276.57 4,168,056.20

S.W.L. (BEFORE CASING): FT PEMARKS AS A ME OF MOLET MELE ALCOMO ASSISTANCE ALCOMO ASSISTANCE ASSISTANCE AND ASSISTANCE ASSISTA

<u>REMARKS:</u> 0.3 MI E, 0.7 MI S OF VIOLET; YIELD - 11 GPM @ 105', 25 GPM @

S.W.L. (AFTER CASING): 70 130-205'

LOG ID: 012369

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1953/01/29 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,103FT

DRILL DEPTH: 343FT 34N 22W 23

<u>DEPTH TO BED:</u> 130FT 473,076.58 4,168,866.20

S.W.L. (BEFORE CASING): FT SEMANCE OF SUPERIOR OF SUPE

REMARKS: OLD WELL TO 130'; 0.8 MI DUE E OF VIOLET; YIELD - 5 GPM @

S.W.L. (AFTER CASING): 115 130', 18 TD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016582

WELL TYPE Private Well

1951/05/31 DRILL DATE:

TOWNSHIP RANGE SECTION 34N 22W

ELEVATION:

1,090FT

DRILL DEPTH:

200FT

95

23

UTM X

472,676.58

UTMY 4,167,448.20

DEPTH TO BED: 122FT

FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

OLD WELL TO 122'; YIELD - 7-8 GPM @ 120', 20 GPM @ 200' **REMARKS**:

LOG ID: 008671

WELL TYPE Private Well

DRILL DATE:

16FT

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,145FT

ZONE 15

DRILL DEPTH: 57FT 34N 22W 24

UTM X

UTMY 4,167,399.19

474,280.59

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 010199

WELL TYPE Private Well

DRILL DATE:

1947/07/20

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,018FT

DRILL DEPTH:

140FT

34N 22W 29

UTM X

DEPTH TO BED:

20FT

70

UTM Y 467,087.54 4,167,364.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2.1 MI E, 2.9 MI N OF BOLIVER

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

019135 **DRILL DATE:**

1960/02/08

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

990FT

DRILL DEPTH:

DEPTH TO BED:

175FT

125FT

22W 29

> UTM X UTM Y

467.987.54

4,167,263.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

2.8 MI NE, 2.5 MI E OF CENTER OF BOLIVAR; NO SAMPLES 0-125' **REMARKS**:

S.W.L. (AFTER CASING):

66



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011088

WELL TYPE Private Well

1947/09/19 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

34N 22W 3 **DRILL DEPTH:** 160FT

UTM X UTMY DEPTH TO BED: 40FT

470,885.53 4,173,977.23

1,116FT

ZONE 15

S.W.L. (BEFORE CASING): FT see also log #16583 - LONG 1X2 M SEC; OLD WELL TO 38', **REMARKS**:

DEEPENED (1947) TO 95, (1957) TO 160'

LOG ID: 016583

S.W.L. (AFTER CASING):

WELL TYPE Private Well

17

DRILL DATE: **TOWNSHIP RANGE SECTION** 1947/09/19 **ELEVATION:** 1,116FT

34N 22W 3 DRILL DEPTH: 160FT

UTM X UTMY DEPTH TO BED: 40FT 470,885.53 4,173,977.23

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: OLD WELL DEEPENED (TWICE) - SEE LOG #11088

S.W.L. (AFTER CASING): 17

LOG ID: 007514

WELL TYPE Private Well

DRILL DATE: 1941/08/23 **TOWNSHIP RANGE SECTION ELEVATION:** 1,006FT

34N 22W 30 **DRILL DEPTH:** 100FT

UTM X UTM Y

DEPTH TO BED: 466,606.53 4,167,105.20

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: "WEAK WELL"

67 S.W.L. (AFTER CASING):

LOG ID: 028255

WELL TYPE Private Well

1979/05/11 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 954FT

34N **DRILL DEPTH:** 515FT

UTM X UTM Y DEPTH TO BED: 30FT 465.406.52 4,166,911.20

22W

30

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011102

DEPTH TO BED:

WELL TYPE Private Well

1949/09/17 DRILL DATE:

TOWNSHIP RANGE 34N

22W 31 **ELEVATION:**

982FT

DRILL DEPTH: 215FT

UTM X

UTMY 4,165,687.20

466,757.54 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

1.7 MI E, 1.7 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING):

31

20FT

LOG ID: 012912

WELL TYPE Private Well

DRILL DATE:

1954/06/19

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

995FT

DRILL DEPTH:

165FT

147

34N 22W

31

UTM X 466,757.54

UTMY 4,164,721.19

DEPTH TO BED: 5FT

REMARKS:

ZONE 15

1.8 MI E, 1.1 MI N OF BOLIVAR; YIELD - 16-18 GPM @ 90', 25 GPM

@ 100'

LOG ID:

012988

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

1954/08/24

TOWNSHIP

RANGE

SECTION

ELEVATION:

986FT

DRILL DEPTH:

125FT

34N 22W 31

> UTM X 466,557.54

> > ZONE 15

UTM Y 4,165,107.19

DEPTH TO BED:

20FT

26

REMARKS:

1.7 MI E, 1.3 MI N OF BOLIVAR

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 006952

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

1,022FT

DRILL DEPTH:

DEPTH TO BED:

80FT

10FT

22W 32

> UTM X 468,332.55

> > ZONE 15

UTM Y 4,165,862.19

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011103

WELL TYPE Private Well

1949/06/22 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,001FT

34N 22W 32 **DRILL DEPTH:** 150FT

UTM X **UTMY** DEPTH TO BED: 10FT 467,132.54 4,165,656.19

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI E, 1.7 MI N OF BOLIVAR; YIELD - 18 GPM @ 75' **REMARKS**:

S.W.L. (AFTER CASING): 31

LOG ID: 016405

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1951/04/ **RANGE ELEVATION:** 1,025FT

34N 22W 32 DRILL DEPTH: 155FT

UTM X UTMY DEPTH TO BED: 10FT 467,532.55 4,165,452.19

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2.4 MI E, 1.5 MI N OF BOLIVAR

S.W.L. (AFTER CASING): 45

LOG ID: 006960

WELL TYPE Private Well

DRILL DATE: 1939// **TOWNSHIP RANGE SECTION ELEVATION:** 1,059FT

34N 22W 33 **DRILL DEPTH:** 50FT

UTM X UTM Y

DEPTH TO BED: 10FT 468,646.56 4,165,280.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

22W

33

LOG ID: 006968

WELL TYPE Private Well

1940// **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,087FT

DRILL DEPTH: 250FT UTM X UTM Y DEPTH TO BED: 468.646.56 4,164,468.19

ZONE 15

34N

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL TO 150, DEEPENED (see also log #14819) 1956; YIELD - 4

GPM @ 170', 5 - 200 S.W.L. (AFTER CASING): 115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011110

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1949/05/25 DRILL DATE:

130FT

15FT

12

115

TOWNSHIP 34N

RANGE 22W

SECTION 33

ELEVATION:

990FT

UTM X 469,446.57

UTMY 4,164,468.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

3.4 MI E, 0.9 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 014819

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1940//

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,087FT

DRILL DEPTH: 250FT 34N 22W 33

UTM X UTMY 4,164,468.19

468,646.56

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

OLD WELL TO 150, DEEPENED (see also log #6968) 1956; YIELD - 4

GPM @ 170', 5 - 200

LOG ID: 016585

WELL TYPE Private Well

DRILL DATE:

1953/07/10

TOWNSHIP

RANGE 22W

SECTION

ELEVATION:

985FT

DRILL DEPTH:

130FT

34N

33

UTM X 469,346.57 UTM Y

4,164,772.19

DEPTH TO BED:

79FT

33

OLD WELL TO 79';

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016623

WELL TYPE Private Well

DRILL DATE:

1953/08/17

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

980FT

DRILL DEPTH:

DEPTH TO BED:

100FT

10FT

15

34N

22W

UTM X

UTM Y 4,164,366.19

469.746.57

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006961

WELL TYPE Private Well

1938// DRILL DATE:

TOWNSHIP RANGE SECTION 34N 22W

ELEVATION: 1,047FT

DRILL DEPTH: 110FT

UTM X

UTMY 4,175,057.23

470,279.53 ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

68FT

007512 Noncommunity Public Well

DRILL DATE: 1941//

TOWNSHIP

SECTION RANGE 34N 22W 4

ELEVATION: 1,127FT

DRILL DEPTH: 155FT

UTM X UTMY

469,679.52 4,174,553.23

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010436

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1948/07/27

TOWNSHIP RANGE SECTION 34N 22W 4

ELEVATION: 1,116FT

DRILL DEPTH: 150FT

UTM X UTM Y 469,279.52 4,175,561.24

DEPTH TO BED: 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: LONG 1 X 2+ MI SECTION; 0.6 MI N, 0.3 MI E OF HURON

42 S.W.L. (AFTER CASING):

LOG ID: 012996

WELL TYPE Private Well

DRILL DATE:

1948/09/27

SECTION TOWNSHIP RANGE 34N

ELEVATION: 1,141FT

ZONE 15

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

200FT 10FT 22W

UTM X UTM Y

469.279.52

4,174,553.23

61

FT

formerly in name of W.r. Buzick - LONG 1 X 2+MI SECTION; IN **REMARKS:**

HURON, N SD OF HIGHWAY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016055

WELL TYPE Private Well

1957/01/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,130FT

34N 22W **DRILL DEPTH:** 210FT

UTM X UTMY DEPTH TO BED: 20FT 469,279.52 4,174,047.23

4

4

ZONE 15

S.W.L. (BEFORE CASING): FT LONG 1 X 2+ MI SECTION; YIELD - 3-4 GPM @ 170', 5 GPM @ 210' **REMARKS:**

S.W.L. (AFTER CASING): 50

LOG ID: 016575

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1948/11/12 **RANGE ELEVATION:** 1,135FT

34N 22W DRILL DEPTH: 180FT

UTM X UTMY DEPTH TO BED: 30FT 4,174,553.23

469,279.52 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LONG 1 X 2+ MI SECTION' IN HURON, N SD HWY D, 500' E OF

S.W.L. (AFTER CASING): 61 **HURON STORE**

LOG ID: 016634

WELL TYPE Private Well

DRILL DATE: 1950/04/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1,045FT

34N 22W 4 **DRILL DEPTH:** 200FT

UTM X UTM Y **DEPTH TO BED:** 469,879.52 4,175,561.24 15FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** LONG 1 X 2+ MI SEC; 2600' S, 100' W OF NE CORNER SEC. 4

S.W.L. (AFTER CASING): 12

LOG ID: 021356

WELL TYPE Private Well

1962/08/20 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,146FT

DRILL DEPTH: 255FT UTM X UTM Y

22W

4

DEPTH TO BED: 10FT 469.279.52 4,174,553.23

ZONE 15

34N

S.W.L. (BEFORE CASING): FT LONG 1 X 2.48 MI SECTION **REMARKS:**

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021358

WELL TYPE Private Well

1962/07/23 DRILL DATE:

TOWNSHIP RANGE 34N

ELEVATION:

1,144FT

DRILL DEPTH:

177FT

22W 4

SECTION

UTM X

UTMY 4,175,561.24

469,279.52 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

15FT

30

LONG 12+ MI SECTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008672

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

1,105FT

DRILL DEPTH:

210FT

34N 22W

UTM X

UTMY

DEPTH TO BED:

FT

FT

FT

468,068.52 4,173,626.23

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

37

REMARKS:

REMARKS:

OLD WELL DEEPENED (1948) 125-210' (#16580); 0.4 MI W, 0.25 MI N

OF HRN

LOG ID: 010197

WELL TYPE

Private Well

DRILL DATE:

1948/05/05

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

ZONE 15

1,084FT

DRILL DEPTH:

135FT

34N 22W

UTM X

UTM Y 4,174,130.23

DEPTH TO BED:

15FT

468,068.52

5

2.6 MI E, 6.9 MI N OF BOLIVER; LONG 1 X 2+ MI SECTION

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012993

Noncommunity Public Well

25

DRILL DATE:

1949/09/29

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,117FT

DRILL DEPTH:

DEPTH TO BED:

130FT

20FT

22W

UTM X

468.268.52

UTM Y

4,174,634.24 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.3 MI W, 0.2 MI N OF HURON

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016580

DEPTH TO BED:

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,105FT

DRILL DEPTH: 210FT 34N 22W 5

<u>UTM X</u> <u>UTM Y</u> 468,068.52 4,173,626.23

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#8672) DEEPENED - SEE LOG #8672

S.W.L. (AFTER CASING): 37

LOG ID: WELL TYPE
012017 Private Well

DRILL DATE: 1951/12/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,071FT

DRILL DEPTH: 195FT 34N 22W 6

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 466,286.50 4,176,186.25

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of C.F. Baggett - 1.3 MI W, 1 MI N OF HURON; YIELD

S.W.L. (AFTER CASING): 60 - 8-9 GPM @ 120' ??? = DRAWDOWN ???

LOG ID: 010622

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/03/17 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,042FT

DRILL DEPTH: 130FT 34N 22W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 45FT 466,765.52 4,171,128.22

FORE CASING): ET

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 65

LOG ID: 006953

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1939/11/07 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,066FT

DRILL DEPTH: 150FT UTM X UTM Y

22W

8

<u>DEPTH TO BED:</u> 50FT 467,355.52 4,172,277.23

ZONE 15

34N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010433

WELL TYPE Private Well

1948/07/05 DRILL DATE:

TOWNSHIP 34N

RANGE SECTION 8

ELEVATION:

1,045FT

DRILL DEPTH:

154FT

UTMY

DEPTH TO BED:

15FT

65

22W

UTM X 467,555.52

4,171,867.22

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

2.5 MI E, 5.7 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 013778

WELL TYPE Private Well

DRILL DATE:

1953/06/13

TOWNSHIP 34N

SECTION RANGE

ELEVATION:

1,015FT

DRILL DEPTH:

165FT

22W

UTM X 468,155.53

UTMY 4,170,839.22

DEPTH TO BED:

65FT

100

REMARKS:

OLD WELL TO 65'; 0.45 MI E, 0.1 MI N OF JEFFERSON BRIDGE

8

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

009928

1946/11/30

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,156FT

4,170,884.22

DRILL DEPTH:

195FT

34N 22W 9

> **UTM X** UTM Y

DEPTH TO BED:

27FT

95

470,073.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 5 MI N, 4 MI E OF BOLIVAR; OLD WELL TO 27'; YIELD - 0.5 GPM,

TOTAL DD

LOG ID: 016406

WELL TYPE Private Well

DRILL DATE:

1950/05/24

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

1,120FT

DRILL DEPTH:

DEPTH TO BED:

260FT 15FT

135

22W 9

UTM X

469.373.54

UTM Y 4,171,804.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

1.6 MI S, 0.5 MI E OF HURON; YIELD - 3-4 GPM @ 175', 7 GPM @

260'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012931

WELL TYPE Private Well

1953/04/08 DRILL DATE:

TOWNSHIP 34N

SECTION

ELEVATION:

953FT

DRILL DEPTH:

125FT

23W 1

RANGE

UTMY

DEPTH TO BED: 65FT

UTM X 464,885.50

4,173,253.23 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 0.8 MI W, 1.35 MI N OF MT. ETNA

S.W.L. (AFTER CASING):

28

LOG ID: 012946

WELL TYPE Private Well

DRILL DATE:

1954/04/23

TOWNSHIP

SECTION RANGE

ELEVATION:

1,003FT

DRILL DEPTH:

165FT

34N 23W 1

> **UTM X** 464,885.50

UTMY 4,172,747.23

DEPTH TO BED:

40FT

45

90

REMARKS:

ZONE 15 OLD WELL TO 35'; 0.9 MI N, 0.8 MI W OF MT. ETNA SCHOOL

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016573

WELL TYPE Private Well

DRILL DATE:

1950/03/09

TOWNSHIP 34N

RANGE

SECTION

ELEVATION: 1,030FT

DRILL DEPTH:

DEPTH TO BED:

200FT 115FT

23W

UTM X UTM Y

465,086.50

4,174,773.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG 1 X 2 MI SECTION; YIELD - 7-8 GPM @ 120'

S.W.L. (AFTER CASING):

LOG ID: 012378

WELL TYPE Private Well

DRILL DATE:

1952/08/23

TOWNSHIP 34N

RANGE

SECTION

ELEVATION:

980FT

DRILL DEPTH:

DEPTH TO BED:

220FT 10FT 23W

11

UTM X

462.583.49

UTM Y 4,171,235.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI E, 0.4 MI S OF CLIQUOT

S.W.L. (AFTER CASING): 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016412

WELL TYPE Private Well

1954/10/09 DRILL DATE:

TOWNSHIP 34N

RANGE SECTION 11

ELEVATION:

992FT

DRILL DEPTH:

130FT

23W

UTM X

UTMY 4,171,235.23

DEPTH TO BED:

20FT

463,583.50 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

85

0.35 MIS, 3.6 MI E OF CLIQUOT **REMARKS**:

LOG ID: 010727

WELL TYPE Private Well

DRILL DATE:

1948/09/03

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

125FT

34N

23W 12

UTM X

UTMY 4,170,992.22

DEPTH TO BED:

15FT

464,181.50 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

147

FT

REMARKS: 4 MI W, 1 MI N OF BOLIVAR

LOG ID: 006962

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 34N

RANGE

SECTION

NO PRODUCTION OR CONSTRUCTION DATA

ELEVATION:

975FT

DRILL DEPTH:

66FT

23W 14

UTM X

UTM Y 4,169,519.22

DEPTH TO BED:

462,425.49

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008104

WELL TYPE Private Well

DRILL DATE:

1942/11/28

TOWNSHIP

RANGE

SECTION 14

ELEVATION:

1,011FT

DRILL DEPTH:

144FT

34N

23W

UTM X

463.125.50

DEPTH TO BED:

30FT

58

UTM Y 4,170,022.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009057

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1946/07/09 DRILL DATE:

149FT

10FT

TOWNSHIP RANGE SECTION 34N 14

23W

ELEVATION: 1,009FT

UTM X

462,325.49 4,169,620.22

ZONE 15

UTMY

S.W.L. (BEFORE CASING):

FT

COULD BE SAME WELL AS #12362; 0.5 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING): 92

LOG ID: 012362

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1952/07/17

150FT

TOWNSHIP

SECTION RANGE

ELEVATION: 1,026FT

DRILL DEPTH: 300FT 34N 23W 14

UTM X UTMY

462,325.49 4,169,418.22 ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 70

OLD WELL TO 150'; MAY BE SAME WELL AS #9057 **REMARKS**:

LOG ID: 010194

WELL TYPE Private Well

DRILL DATE: 1948/01/06

TOWNSHIP RANGE SECTION 34N 23W 15

ELEVATION: 1,125FT

DRILL DEPTH: 195FT

UTM X UTM Y 460,939.48 4,170,874.23

DEPTH TO BED: 10FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

140

REMARKS: 2 MI W, 5 MI N OF BOLIVAR

LOG ID: 010623

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1947/03/28

10FT

TOWNSHIP 34N

RANGE SECTION **ELEVATION:** 1,032FT

DRILL DEPTH: 145FT

23W 15

> UTM X UTM Y

460.839.48

4,170,369.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

TOTAL DRAWDOWN; 4.75 MI N, 1 7/8 MI W OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING): 35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013776

DRILL DEPTH:

WELL TYPE Private Well

1949/03/05 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,097FT

> 34N 23W 15 190FT

UTM X **UTMY** DEPTH TO BED: 15FT 460,939.48 4,170,874.23

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 120

LOG ID: 006969

WELL TYPE Private Well

1940// **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,151FT

34N 23W 16 DRILL DEPTH: 180FT

UTM X **UTMY** DEPTH TO BED: 35FT 4,170,518.23 459,130.47

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010450

WELL TYPE Private Well

SECTION DRILL DATE: 1948/08/20 **TOWNSHIP RANGE ELEVATION:** 1,044FT

34N 23W 16 **DRILL DEPTH:** 200FT

UTM X UTM Y

DEPTH TO BED: 105FT 460,530.48 4,169,500.22

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL TO 105'; 4.1 MI N, 2.1 MI W OF BOLIVAR

37 S.W.L. (AFTER CASING):

LOG ID: 009211

WELL TYPE Private Well

1944/03/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 966FT

34N

DRILL DEPTH: 150FT UTM X UTM Y

DEPTH TO BED: 463.793.49 4,174,077.24

ZONE 15 S.W.L. (BEFORE CASING):

23W

FT 7 MI N OF BOLIVAR **REMARKS**:

2

S.W.L. (AFTER CASING): 35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010448

WELL TYPE Private Well

1948/08/17 DRILL DATE:

160FT

RANGE SECTION 23W 2

ELEVATION:

948FT

DRILL DEPTH:

UTM X

UTMY 4,175,342.25

462,893.48

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

4 MI W, 2 MI N OF HURON **REMARKS**:

TOWNSHIP

34N

34N

ZONE 15

LOG ID: 009930

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1946/12/24

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,037FT

DRILL DEPTH: 155FT 23W 22

UTM X **UTMY**

462,080.49 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

90FT

10FT

35

REMARKS:

OLD WELL TO 90'; 3.5 MI N, 1 MI W OF BOLIVAR

S.W.L. (AFTER CASING):

90

LOG ID: 011093

WELL TYPE Private Well

DRILL DATE:

1947/08/19

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

1,044FT

DRILL DEPTH:

135FT

34N 23W

UTM X 460,680.48

UTM Y 4,169,246.22

4,168,650.22

DEPTH TO BED:

15FT

45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE Private Well

DRILL DATE:

008120

1942//

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,020FT

DRILL DEPTH:

DEPTH TO BED:

103FT 70FT

23W 23

UTM X

UTM Y

463,266.50 4,167,815.21 ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL TO 71'; 3 MI N OF BOLIVAR

S.W.L. (AFTER CASING): 45 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004232

WELL TYPE Private Well

1937/04/30 DRILL DATE:

105FT

DRILL DEPTH:

DEPTH TO BED: 83FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 53 **TOWNSHIP RANGE SECTION** 34N

23W 24

ELEVATION:

998FT

UTM X

UTMY 4,168,365.21

464,263.51

ZONE 15

LOG ID: 012028

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1952/05/14

TOWNSHIP 34N

RANGE

SECTION 24

SECTION

25

ELEVATION:

929FT

FT

FT

REMARKS:

135FT 10FT

23W

UTM X

UTMY 4,168,165.21

1,008FT

UTM Y

4,166,661.20

465,263.52 ZONE 15

ELEVATION:

UTM X

463,924.51

S.W.L. (BEFORE CASING):

REMARKS: 3.3 MI N, 0.9 MI E OF BOLIVAR

S.W.L. (AFTER CASING):

40

LOG ID: 005935

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1940//

90FT

55

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

016584 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1953/06/23

105FT 20FT

TOWNSHIP 34N

TOWNSHIP

34N

RANGE 23W

RANGE

23W

SECTION

ELEVATION:

1,035FT

UTM X 463,824.51

UTM Y 4,167,574.21

ZONE 15

ZONE 15

25

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

60

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007509

WELL TYPE Private Well

1941/09/05 DRILL DATE:

RANGE SECTION **ELEVATION:**

1,030FT

DRILL DEPTH:

100FT

23W 26

UTM X

UTMY 4,166,599.20

462,816.50

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

45

REMARKS:

S.W.L. (AFTER CASING):

FT

FT

ZONE 15

LOG ID: 016637

WELL TYPE Private Well

DRILL DATE:

1951/03/06

TOWNSHIP

TOWNSHIP

34N

SECTION RANGE

ELEVATION: 1,030FT

DRILL DEPTH:

135FT

34N 23W 26

UTM X

ZONE 15

463,016.50

UTMY 4,166,801.21

DEPTH TO BED:

20FT

44

REMARKS: YIELD - 9-10 GPM @ 80', 17-20 GPM @ 135'

SECTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007513 **DRILL DATE:**

1941/07/09

TOWNSHIP RANGE **ELEVATION:** 1,015FT

ZONE 15

DRILL DEPTH:

165FT

34N 23W 3

UTM Y

DEPTH TO BED:

5FT

4,174,880.25

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

60

LOG ID: 016587

WELL TYPE Private Well

DRILL DATE:

1953/10/02

TOWNSHIP 34N

SECTION RANGE

ELEVATION:

461.495.48

UTM X

461,895.48

970FT

DRILL DEPTH:

DEPTH TO BED:

80FT 5FT

34

23W

3

UTM X

ZONE 15

UTM Y 4,174,880.25

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: LONG 1 X 2 MI SECTION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008100

WELL TYPE Private Well

1942/07/31 DRILL DATE:

TOWNSHIP 34N

FT

RANGE SECTION 23W

ELEVATION:

1,196FT

DRILL DEPTH:

249FT

30

UTM X 456,799.45

UTMY 4,167,809.22

DEPTH TO BED: 170FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

134

REMARKS: NO SAMPLES 0-170' ZONE 15

LOG ID:

012949

WELL TYPE Private Well

DRILL DATE:

1953/07/22

TOWNSHIP

SECTION RANGE

ELEVATION: 1,114FT

DRILL DEPTH:

210FT

34N 23W 31

UTM X

DEPTH TO BED: 20FT 455,734.44

UTMY 4,165,796.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

90

REMARKS: 5.2 MI W, 1.5 MI N OF BOLIVAR

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 008107

Private Well

DRILL DATE:

1942/07/18

TOWNSHIP

REMARKS:

REMARKS:

RANGE

SECTION

33

ELEVATION:

1,136FT

DRILL DEPTH:

94FT

34N 23W 33

UTM X

UTM Y

DEPTH TO BED:

22FT

63

459,560.48 4,165,277.20

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

012985 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1951/11/13

215FT

20FT

TOWNSHIP 34N

SECTION RANGE

23W

ELEVATION: 1,228FT

UTM X

UTM Y

459.160.47

4,166,085.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

formerly in name of J.D. Hale - 3.85 MI W, 1.75 MI N OF BOLIVAR

S.W.L. (AFTER CASING): 197



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016633

DEPTH TO BED:

WELL TYPE Private Well

1949/07/14 DRILL DATE:

10FT

41

TOWNSHIP RANGE SECTION 34N 23W 33

ELEVATION:

1,105FT

DRILL DEPTH: 100FT

UTM X

UTMY

459,960.48 4,164,671.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

2.2 MI W, 0.9 MI N OF BOLIVAR **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

012032 DRILL DATE:

1952/07/07

TOWNSHIP

SECTION RANGE

ELEVATION:

1,090FT

DRILL DEPTH:

240FT

34N 23W 34

UTM X

461,168.49

UTMY 4,165,225.20

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

25FT

95

REMARKS:

ZONE 15 1.3 MI N, 1.8 MI W OF BOLIVAR; YIELD - 6 GPM @ 120', 10 GPM @

170'

LOG ID: 012031

WELL TYPE Private Well

DRILL DATE:

1952/04/30

TOWNSHIP 34N

RANGE 23W

SECTION 35

ELEVATION: 1,008FT

DRILL DEPTH:

135FT

UTM X UTM Y

DEPTH TO BED:

10FT

36

4,165,998.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

1.8 MI N, 0.45 MI W OF BOLIVAR ON HWY 83; YIELD -8 GPM @ 100.

10 @ 135

LOG ID: 006964

WELL TYPE Private Well

DRILL DATE:

1940/07/10

RANGE

SECTION

ELEVATION:

462,971.51

1,019FT

DRILL DEPTH:

DEPTH TO BED:

40FT

10FT

TOWNSHIP 34N

23W 36

UTM X

UTM Y

465.082.53 4,165,455.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

22 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007511

DRILL DEPTH:

WELL TYPE Private Well

1941/07/21 DRILL DATE:

200FT

DEPTH TO BED: 140FT

FT

150

TOWNSHIP RANGE 34N 8

23W

SECTION

ELEVATION:

1,136FT

UTM X 458,985.47

UTMY 4,171,168.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

formerly in name of C.E. Powell - NO SAMPLES 0-140' **REMARKS:**

LOG ID: 010196

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1947/11/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

996FT

DRILL DEPTH: 140FT

S.W.L. (AFTER CASING):

34N 24W 21

UTM X

UTMY 4,169,028.26

450,807.40

10FT

S.W.L. (BEFORE CASING):

50

REMARKS: 8.2 MI W, 3.7 MI N OF BOLIVAR

ZONE 15

LOG ID:

010203

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1948/05/20

185FT

15

TOWNSHIP 34N

RANGE 24W

7.2 MI W, 3.3 MI N OF BOLIVAR

SECTION

ELEVATION:

1,039FT

REMARKS:

22

UTM X

UTM Y

452,226.41 4,168,768.25 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

019133

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1958/04/12

150FT

5FT

67

TOWNSHIP 34N

RANGE 24W

SECTION 22

ELEVATION:

1,044FT

UTM Y

UTM X

451.026.40 4,169,586.26

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

1.2 MI E, 2.5 MI S OF DUNNEGAN

2/27/2007

4,640



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013714

DRILL DEPTH:

WELL TYPE Private Well

1953/09/23 DRILL DATE:

260FT

DEPTH TO BED: 45FT

TOWNSHIP 34N

RANGE 24W

SECTION 23

ELEVATION:

1,100FT

UTM X

UTMY 4,168,614.24

453,156.42 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

125

LOG ID: 006965

WELL TYPE Private Well

DRILL DATE:

1938//

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,008FT

DRILL DEPTH: DEPTH TO BED: 55FT

34N 24W 26

UTM X

UTMY

4,166,907.23

452,989.42 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010205

WELL TYPE Private Well

DRILL DATE:

1948/07/02

TOWNSHIP 34N

RANGE 24W

SECTION

ELEVATION:

1,085FT

DRILL DEPTH:

120FT

27

UTM X 451,762.40

UTM Y 4,166,953.24

DEPTH TO BED:

25FT

85

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018748

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1958/07/

185FT

FT

TOWNSHIP 34N

RANGE 24W

SECTION 27

ELEVATION:

1,063FT

UTM X

UTM Y

451.962.41 4,167,989.25

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1.5 MI E, 1 7/8 MI N OF CENTER OF FAIR PLAY

S.W.L. (AFTER CASING):

37



LOT 22, BLK 8

RANGE

24W

SECTION

32

SECTION

33

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005320

WELL TYPE

Community Public Well

1939/03/ DRILL DATE:

> 34N 603FT

DRILL DEPTH:

FT

FT

DEPTH TO BED: 5FT 449,070.38

TOWNSHIP

4,165,043.25

ZONE 15

ZONE 15

1,001FT

UTMY

1,105FT

UTMY

4,166,202.25

ELEVATION:

UTM X

450,677.39

ELEVATION:

UTM X

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 010439

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1948/07/13

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

200

118

543FT

DEPTH TO BED: 20FT

REMARKS:

REMARKS:

OLD WELL TO 455', DEEPENED (#26744) IN 1971; 0.8 MI N OF FAIR

RANGE

24W

TOWNSHIP

34N

PLAY

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well 026744

DRILL DATE: 1948/07/13

543FT

34N

TOWNSHIP

RANGE 24W

SECTION 33

ELEVATION:

1,105FT

UTM X

UTM Y 4,166,202.25

450,677.39 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED - SEE LOG #10439

LOG ID:

WELL TYPE

028742 Community Public Well

DRILL DATE:

1993/10/11

TOWNSHIP

RANGE

SECTION

ELEVATION:

988FT

DRILL DEPTH:

925FT

34N 24W 33

UTM X UTM Y

DEPTH TO BED:

104

FT

FΤ

200

449,377.38 4,165,086.25

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

110

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028743

WELL TYPE

Community Public Well

DRILL DATE:

1994/11/07

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,047FT

DRILL DEPTH:

935FT

162

159

24W 33

UTM X

UTMY 4,165,695.25

DEPTH TO BED:

449,977.39 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:** FT

LOG ID:

WELL TYPE Private Well

010193 DRILL DATE:

1948/06/12

TOWNSHIP

SECTION RANGE

ELEVATION: 1,075FT

ZONE 15

DRILL DEPTH:

170FT 35FT

34N 24W 34

UTM X

451,305.40

UTMY 4,166,157.24

DEPTH TO BED: S.W.L. (BEFORE CASING):

65

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011186

WELL TYPE

Private Well

DRILL DATE:

1948/12/04

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

1,025FT

DRILL DEPTH:

185FT

34N

24W 34

UTM X 451,805.40

UTM Y 4,165,851.24

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

10FT

REMARKS:

1.5 MI E, 0.6 MI N OF FAIR PLAY

32

LOG ID: 013254

WELL TYPE

Private Well

DRILL DATE:

1954/11/17

TOWNSHIP

RANGE

SECTION 4

ELEVATION:

1,066FT

DRILL DEPTH:

DEPTH TO BED:

222FT 25FT 34N 24W

> UTM X 450,647.41

UTM Y

4,176,918.30

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**:

S.W.L. (AFTER CASING):

92

LONG 1 X 2 MI SECTION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007516

WELL TYPE Private Well

1941/09/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 924FT

34N 24W 5 **DRILL DEPTH:** 140FT

UTM X **UTMY** DEPTH TO BED: 5FT 448,630.39 4,174,312.30

ZONE 15

S.W.L. (BEFORE CASING): FT

LONG 1 X 2 MI SECTION; VERY SIMILAR TO LOG #9210 **REMARKS**:

S.W.L. (AFTER CASING): 5

LOG ID: 007724

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1942/04/23 **RANGE ELEVATION:** 939FT

34N 24W 5 DRILL DEPTH: 115FT

UTM X UTMY DEPTH TO BED: 15FT 448,830.39 4,173,772.29

ZONE 15

S.W.L. (BEFORE CASING): LONG 1 X 2 MI SECTION; SPRING ROSE ADDITION, DUNNEGAN REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 007728

DRILL DATE: 1941/08/30 **TOWNSHIP RANGE SECTION ELEVATION:** 953FT

34N 24W 5 **DRILL DEPTH:** 150FT

UTM X UTM Y

DEPTH TO BED: 16FT 448,930.39 4,174,042.29

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 60

LOG ID: 009210

WELL TYPE Private Well

1941/09/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 925FT

34N 24W 5 **DRILL DEPTH:** 145FT

DEPTH TO BED: 448.630.39 4,174,312.30 7FT

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT LONG 1 X 2 MI SECTION; N PART OF DUNNEGAN; VERY SIMILAR **REMARKS:**

TO LOG #7516 5 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009909

WELL TYPE Private Well

1946/10/20 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,075FT

> 34N 24W 291FT

> > **REMARKS**:

DRILL DEPTH: UTM X **UTMY**

DEPTH TO BED: 40FT 448,030.38 4,175,390.30

2 MI NW OF DUNNEGAN

5

9

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 135

LOG ID: 005387

WELL TYPE Private Well

1939/04/25 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,023FT

34N 24W DRILL DEPTH: 202FT

UTM X **UTMY** DEPTH TO BED: 10FT 450,042.39 4,172,348.28

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: @ DUNNEGAN

S.W.L. (AFTER CASING): 120

LOG ID: 016733

WELL TYPE Private Well

DRILL DATE: 1949/07/05 **TOWNSHIP RANGE SECTION ELEVATION:** 915FT

35N 21W 10 **DRILL DEPTH:** 75FT

UTM X UTM Y

DEPTH TO BED: 10FT 478,792.48 4,183,976.23

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 15

LOG ID: 012925

WELL TYPE Private Well

1953/06/08 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 965FT

35N 21W 18 **DRILL DEPTH:** 210FT

UTM X UTM Y DEPTH TO BED: 473,787.49 4,181,175.24 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 1 MI DUE S OF SENTINEL

S.W.L. (AFTER CASING): 60



RANGE

21W

TOWNSHIP

35N

TOWNSHIP

TOWNSHIP

35N

35N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013662

WELL TYPE Private Well

1955/04/05 DRILL DATE:

150FT

63

DRILL DEPTH:

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 013775

WELL TYPE Private Well

DRILL DATE:

1953/06/29

TOWNSHIP 35N

RANGE

SECTION 19

SECTION

23

SECTION

19

ELEVATION:

ELEVATION:

UTM X

474,535.51

973FT

1,044FT

UTM Y

4,180,282.25

1,010FT

UTMY

4,179,968.24

DRILL DEPTH: DEPTH TO BED: 270FT 75FT

21W

RANGE

21W

"OLD JESS MATTHEWS FARM"

UTM X

ELEVATION:

UTM X

480,926.52

UTMY

475,035.51

4,180,272.24 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

42

FT **REMARKS:**

FT

FT

LOG ID:

014827

WELL TYPE

Private Well

DRILL DATE:

1954/04/24

DRILL DEPTH:

115FT

47

15FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024754

WELL TYPE Private Well

DRILL DATE:

1966/06/29

DRILL DEPTH:

DEPTH TO BED:

244FT

15FT

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

SECTION RANGE 21W

25

ELEVATION:

1,023FT

UTM X UTM Y

481.722.54 4,179,030.25

ZONE 15

ZONE 15

6 MI W OF LOUISBURG ON HWY 64; 10-FT SAMPLES BELOW 180'

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013664

WELL TYPE Private Well

1955/05/06 DRILL DATE:

TOWNSHIP 35N

RANGE SECTION 21W

ELEVATION:

956FT

DRILL DEPTH: DEPTH TO BED: 200FT 15FT

20

29

UTM X 475,793.54

UTMY 4,177,788.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

1.5 MI E, 0.25 MI N OF POLK **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016404

WELL TYPE Private Well

DRILL DATE:

1957/05/25

TOWNSHIP

SECTION RANGE

ELEVATION:

952FT

DRILL DEPTH:

290FT

40

35N 21W 29

UTM X

UTMY

DEPTH TO BED: 10FT

475,993.52

4,179,216.24

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

018743

WELL TYPE Private Well

DRILL DATE:

1958/08/

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,000FT

473,791.52

DRILL DEPTH:

180FT

35N 21W 30

> UTM X UTM Y

> > 4,178,855.24

DEPTH TO BED:

5FT

ZONE 15

SECTION

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

23

FT

REMARKS:

2 1/8 MI DUE N OF CENTER OF POLK; YIELD - 6-7 GPM @ 165',

10-12 @ 180'

LOG ID:

WELL TYPE

Private Well 012226

DRILL DATE:

1952/06/26

TOWNSHIP 35N

RANGE

ELEVATION:

1,035FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

300FT 5FT

36

21W 32

UTM X 476.148.55

UTM Y 4,176,375.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.6 MI N, 1.4 MI E OF POLK; YIELD-4 GPM @ 120', 5 GPM @ 170', 15

@ 215



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020963

WELL TYPE Private Well

1961/09/12 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,023FT

> 35N 21W 230FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 5FT

473,940.46 4,183,881.24

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 45

LOG ID: 025390

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1967/02/17 **RANGE ELEVATION:** 1,002FT

35N 21W DRILL DEPTH: 265FT

UTM X **UTMY** DEPTH TO BED: 5FT 4,183,181.24 474,640.47

7

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: E OF HWY 64, S OF PITTSBURG, NEAR COUNTY LINE

S.W.L. (AFTER CASING):

LOG ID: 012948

WELL TYPE Private Well

DRILL DATE: 1954/05/18 **TOWNSHIP RANGE SECTION ELEVATION:** 1,004FT

35N 21W 8 **DRILL DEPTH:** 195FT

UTM X UTM Y

DEPTH TO BED: 475,338.48 4,182,626.23 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 0.75 MI E, 0.1 MI S OF SENTINEL

75 S.W.L. (AFTER CASING):

LOG ID: 026757

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,007FT

35N 22W 12 **DRILL DEPTH:** 100FT

UTM X UTM Y DEPTH TO BED: 473.048.47 4,183,247.24 5FT

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSLTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016066

WELL TYPE Private Well

1956/05/18 DRILL DATE:

TOWNSHIP 35N

RANGE SECTION **ELEVATION:**

996FT

DRILL DEPTH:

280FT

22W 14 UTM X

UTMY

DEPTH TO BED:

15FT

23

17

471,677.47 4,182,192.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 4 GPM @ 120', 5 GPM & 170' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012034

WELL TYPE Private Well

DRILL DATE:

1951/08/01

TOWNSHIP

SECTION RANGE

ELEVATION:

900FT

DRILL DEPTH:

117FT

35N 22W

> **UTM X** 466,260.45

UTMY 4,182,601.25

DEPTH TO BED:

20FT

29

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 0.35 MI S, 1 MI W OF ADONIS

LOG ID:

WELL TYPE

020558

Noncommunity Public Well

DRILL DATE:

1962/01/

TOWNSHIP

RANGE SECTION

17

ELEVATION:

886FT

DRILL DEPTH:

200FT

35N 22W

UTM X

UTM Y

DEPTH TO BED:

40FT

466,260.45 4,182,601.25

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: 2 GPM "OVERFLOW"

LOG ID:

WELL TYPE Private Well

016088

DRILL DATE:

1955/09/02

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

1,046FT

DRILL DEPTH:

DEPTH TO BED:

215FT

10FT

35N 22W

UTM X

UTM Y

473.223.49 4,180,930.24 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016410

WELL TYPE Private Well

1956/06/15 DRILL DATE:

TOWNSHIP 35N

RANGE SECTION 22W

ELEVATION:

965FT

DRILL DEPTH:

155FT

26

UTM X

UTMY 4,177,950.24

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

471,139.51

ZONE 15

S.W.L. (AFTER CASING):

26

REMARKS:

LOG ID: 010429

WELL TYPE Private Well

DRILL DATE:

1948/07/17

TOWNSHIP

SECTION RANGE

ELEVATION:

950FT

DRILL DEPTH:

120FT

35N 22W 30

UTM X

UTMY 4,178,441.26

DEPTH TO BED:

4FT

464,092.48 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

33

FT

REMARKS: 2.7 MI N, 3.2 MI W OF HURON

LOG ID: 010434

WELL TYPE

Private Well

DRILL DATE:

1948/06/10

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,074FT

DRILL DEPTH:

185FT

35N 22W 30

UTM X

464,692.48

UTM Y 4,178,441.26

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

REMARKS: 2.4 MI N, 2.7 MI W OF HURON

FT

105

ZONE 15

LOG ID:

WELL TYPE Private Well

011105

1949/09/30

TOWNSHIP

35N

RANGE

SECTION

ELEVATION:

1,010FT

DRILL DATE: DRILL DEPTH:

200FT

55

22W 30

> UTM X 464.492.48

UTM Y 4,179,049.26

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

2.9 MI W, 2.8 MI N OF HURON **REMARKS**:

ZONE 15

2/27/2007

4,650



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012935

WELL TYPE Private Well

1954/04/23 DRILL DATE:

TOWNSHIP RANGE SECTION **ELEVATION:**

1,064FT

DRILL DEPTH:

230FT 25FT 22W 30

UTM X 464,692.48

UTMY 4,178,645.26

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

2.7 MI W, 2.5 MI N OF HURON **REMARKS**:

S.W.L. (AFTER CASING):

115

FT

35N

LOG ID: 011111

WELL TYPE Private Well

DRILL DATE:

1949/01/23

TOWNSHIP

SECTION RANGE

ELEVATION:

976FT

DRILL DEPTH:

130FT

35N 22W 31

> UTM X 464,394.49

UTMY 4,177,048.25

DEPTH TO BED: 25FT

FT

REMARKS: 2.9 MI W, 1.5 MI N OF HURON ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

10

LOG ID: 010192

WELL TYPE Private Well

DRILL DATE: 1948/05/28

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,055FT

DRILL DEPTH:

100FT

35N 22W 33

UTM X UTM Y

DEPTH TO BED:

10FT

19

4,177,716.25 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.2 MI E, 3.2 MI S OF ADONIS

S.W.L. (AFTER CASING):

LOG ID: 011188

WELL TYPE Private Well

DRILL DATE:

1949/05/13

TOWNSHIP

RANGE

SECTION

ELEVATION:

468,218.50

1,095FT

DRILL DEPTH:

DEPTH TO BED:

215FT 15FT

35N

22W 34

UTM X

UTM Y

469.451.51

4,177,433.25

ZONE 15

S.W.L. (BEFORE CASING):

FT

2.3 MI N, 0.3 MI E OF HURON **REMARKS**:

S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003830

WELL TYPE Private Well

1936/08/01 DRILL DATE:

TOWNSHIP 35N

RANGE SECTION 22W

ELEVATION: 1,040FT

DRILL DEPTH:

205FT

35

35

UTM X

471,489.52

UTMY 4,176,956.24

DEPTH TO BED: 25FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE Private Well

016089

LOG ID:

DRILL DATE:

1950/09/04

TOWNSHIP

SECTION RANGE

ELEVATION:

1,018FT

DRILL DEPTH:

180FT

35N 22W

YIELD 15 GPM @ 100'

UTM X

UTMY

DEPTH TO BED:

25FT

24

471,089.52 4,177,162.24 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FΤ

REMARKS:

REMARKS:

REMARKS:

LOG ID:

WELL TYPE Private Well

024753

DRILL DATE:

1966/05/10

TOWNSHIP RANGE **SECTION**

7

ELEVATION:

925FT

DRILL DEPTH:

320FT

35N 22W

> UTM X 464,829.43

> > ZONE 15

UTM Y 4,183,789.26

DEPTH TO BED:

10FT

79

2 MI E OF HWY 83 ON LAKE RD 83-53

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024667

Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE 35N 22W

SECTION

8

ELEVATION:

UTM X

901FT

DRILL DEPTH:

DEPTH TO BED:

320FT 20FT

UTM Y

466.353.44

4,183,010.25

ZONE 15

S.W.L. (BEFORE CASING): 12

S.W.L. (AFTER CASING):

REMARKS:

LAKE POMME DE TERRE - CORPS OF ENGINEERS



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001685

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 35N

SECTION

ELEVATION: 1,005FT

DRILL DEPTH:

210FT

10

UTM X **UTMY**

ZONE 15

DEPTH TO BED: 35FT 460,141.40

4,184,456.27

S.W.L. (BEFORE CASING):

FLEMINGTON DRILL HOLE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 013551

WELL TYPE

Private Well

DRILL DATE:

1954/09/09

TOWNSHIP

SECTION RANGE

ELEVATION:

1,052FT

DRILL DEPTH:

385FT

80

35N 23W

UTM X UTMY

DEPTH TO BED: 170FT 11

RANGE

23W

4,183,254.27

461,257.42 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: OLD WELL TO 170' ?;

S.W.L. (AFTER CASING):

LOG ID: 025208

WELL TYPE

Private Well

DRILL DATE:

1967/04/04

TOWNSHIP

35N

RANGE SECTION **ELEVATION:** 1,041FT

461,583.42

DRILL DEPTH:

112FT

23W

UTM X UTM Y

ZONE 15

DEPTH TO BED:

10FT

30

REMARKS: 15 MI N OF BOLIVAR ON HWY 83

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025791

1967/06/

TOWNSHIP RANGE

35N

SECTION 15

14

ELEVATION: 1,048FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

200FT

23W

UTM X UTM Y

ZONE 15

460.561.42

4,183,155.27

4,183,073.26

S.W.L. (BEFORE CASING):

15FT

S.W.L. (AFTER CASING):

14 MI N OF BOLIVAR ON HWY 83 **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026784

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1971/01/10

DRILL DEPTH: 1,530FT

DEPTH TO BED: 30FT

RANGE 35N 23W 16 **ELEVATION:**

UTM X **UTMY** 457,937.42 4,181,773.27

1,032FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ROBERTS RANCH, INC; PLUGGED BACK TO 850' FOR USE AS

SECTION

WATER SUPPLY

LOG ID: 004269

WELL TYPE Private Well

DRILL DATE:

1937//

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION: 1,096FT

DRILL DEPTH:

DEPTH TO BED:

295FT 55FT 35N 23W 19

> **UTM X UTMY**

454,872.41

4,181,676.28

ZONE 15

S.W.L. (BEFORE CASING):

200

FT

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016591

WELL TYPE

Private Well

DRILL DATE:

1951/03/07

TOWNSHIP

RANGE

ELEVATION:

985FT

DRILL DEPTH:

165FT

35N

23W

SECTION

24

26

UTM X

UTM Y

DEPTH TO BED:

10FT

100

463,734.45 4,180,967.26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006786

WELL TYPE

Private Well

DRILL DATE:

1941/03/04

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,073FT

DRILL DEPTH:

DEPTH TO BED:

135FT

25FT

35N

23W

UTM X

UTM Y

460.833.45 4,179,842.27

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016769

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1953/05/02 DRILL DATE:

245FT

10FT

190

TOWNSHIP RANGE SECTION 35N 23W

31

ELEVATION:

1,175FT

UTM X 454,539.44

UTMY 4,178,258.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 012969

WELL TYPE Private Well

DRILL DATE:

1951/09/11

TOWNSHIP

SECTION RANGE

ELEVATION:

460,340.47

948FT

DRILL DEPTH: DEPTH TO BED: 45FT

35N 23W 34

UTM X

ZONE 15

UTMY 4,177,675.26

5FT

24

FT

FT

1.3 MI DU N OF RONDO, W OFF HWY 83 REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016056

WELL TYPE Private Well

DRILL DATE:

1956/10/16

TOWNSHIP 35N

RANGE SECTION 7

ELEVATION:

1,135FT

DRILL DEPTH:

225FT

23W

UTM X 455,806.38

UTM Y 4,184,520.28

DEPTH TO BED:

25FT

ZONE 15

42

REMARKS: IN FLEMINGTON, W SIDE HWY D N OF HIGH SCHOOL

8

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 013800

WELL TYPE Private Well

DRILL DATE:

1954/03/06

TOWNSHIP

SECTION RANGE

ELEVATION:

1,127FT

DRILL DEPTH:

205FT 50FT 35N 23W

> UTM X UTM Y

456.186.39 4,184,068.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

SE PART OF FLEMINGTON **REMARKS:**

S.W.L. (AFTER CASING):

DEPTH TO BED:

170



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013668

DEPTH TO BED:

WELL TYPE Private Well

1955/04/05 DRILL DATE:

TOWNSHIP 35N

SECTION

ELEVATION: 1,033FT

DRILL DEPTH: 212FT 10

10

SECTION

14

UTM X **UTMY**

449,774.35 4,184,123.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

0.5 MI E, 0.5 MI N OF HUMANSVILLE **REMARKS**:

RANGE

24W

S.W.L. (AFTER CASING):

LOG ID: 028223

WELL TYPE

Community Public Well

25FT

100

DRILL DATE:

1979/02/22

TOWNSHIP

SECTION RANGE

ELEVATION: 1,021FT

ZONE 15

DRILL DEPTH:

1,250FT

35N 24W

> **UTM X** 450,270.36

UTMY 4,183,852.30

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

180 160

REMARKS:

LOG ID:

WELL TYPE

014392

Noncommunity Public Well

DRILL DATE:

1956/03/

TOWNSHIP RANGE **ELEVATION:**

1,021FT

DRILL DEPTH:

1,050FT

35N 24W

> UTM X UTM Y

DEPTH TO BED:

25FT

65

451,924.38 4,182,244.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007727 **DRILL DATE:**

1942/02/10

TOWNSHIP

RANGE SECTION **ELEVATION:**

35N

24W

15

DRILL DEPTH: DEPTH TO BED: 89FT 17FT

UTM X

450,204.37 4,182,818.30

ZONE 15

UTM Y

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012957

DRILL DEPTH:

WELL TYPE Private Well

1952/11/19 DRILL DATE:

210FT

DEPTH TO BED: 35FT 35N

RANGE 24W

SECTION 15

ELEVATION:

987FT

UTM X

UTMY 4,182,109.30

450,904.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Fred Tillery - 1.1 MI E, 0.6 MI S OF HUMANSVILLE;

YIELD - 4 GPM @ 120', 6 @ 140'

LOG ID:

WELL TYPE

000453

Noncommunity Public Well

50

DRILL DATE:

DEPTH TO BED:

93FT

20FT

TOWNSHIP 35N

TOWNSHIP

RANGE 24W

SECTION

ELEVATION:

ZONE 15

ZONE 15

ZONE 15

918FT

DRILL DEPTH:

S.W.L. (AFTER CASING):

16

UTM X

UTMY 4,183,006.31

448,690.35

S.W.L. (BEFORE CASING):

REMARKS: DUG WELL, DRILLERS LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005745

Private Well

DRILL DATE:

1939/11/

TOWNSHIP 35N

RANGE 24W

SECTION 16

ELEVATION:

920FT

DRILL DEPTH:

601FT

UTM X 448,690.35

UTM Y 4,183,006.31

DEPTH TO BED:

135FT

12

REMARKS: IN HUMANSVILLE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009207

Community Public Well

DRILL DATE:

1946/06/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

970FT

DRILL DEPTH:

703FT

35N 24W 16

UTM X

449.122.35

UTM Y 4,183,271.30

DEPTH TO BED:

FT

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

70



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009031

WELL TYPE Private Well

DRILL DATE: 1946/01/04

<u>TOWNSHIP</u> 35N <u>SECTION</u>

ELEVATION:

1,034FT

DRILL DEPTH:

265FT

20

26

<u>UTM X</u>

<u>UTM Y</u> 4,180,744.31

DEPTH TO BED:

15FT

RANGE

24W

447,094.36 4

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI SW OF HUMANSVILLE ON SEXTON RD

S.W.L. (AFTER CASING):

100

LOG ID: 006337

WELL TYPE
Private Well

DRILL DATE:

1940/09/06

TOWNSHIP

RANGE SECTION

ELEVATION:

995FT

DRILL DEPTH:

184FT

35N 24W

UTM X

UTM Y

DEPTH TO BED:

43FT

35

451,008.40

4,178,815.30

71,006.40 4 20NE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

013819

1954/11/29

TOWNSHIP RA

RANGE SECTION

ELEVATION:

DRILL DEPTH:

285FT

35N 24W 7

UTM X UTM Y

DEPTH TO BED:

40FT

160

446,108.33 4,184,553.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025623

1966/12/08

TOWNSHIP

RANGE SECTION

7

ELEVATION:

895FT

DRILL DATE:
DRILL DEPTH:

305FT

35N 24W

UTM X

<u>UTM Y</u> 4,184,153.32

445,508.33

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

27

FT REMARKS:

3 MI W, 1 MI N OF HUMANSVILLE

ZONE 15

2/27/2007

4,658



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006789

DRILL DEPTH:

WELL TYPE Private Well

1940/12/04 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION**: 945FT

> 35N 24W 152FT

UTM X UTM Y **DEPTH TO BED:** 20FT

9

448,143.34 4,184,411.31

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**:

20 S.W.L. (AFTER CASING):

POLK